Eberline Services W.O. No. R0-11-074-7554 Bechtel Hanford Inc. **SDG H1128**

Case Narrative

Page 1 of 1

1.0 GENERAL

Bechtel Hanford Inc. (BHI) Sample Delivery Group H1128 was composed of two other solid samples designated under SAF No. B99-028 with a Project Designation of: 100-HR-3 Pump & Treat-Resin Sampling.

The samples were received as stated on the Chain-of-Custody document. Any discrepancies are noted on the Eberline Services Sample Receipt Checklis were transmitted to BHI via e-Fax on December 22 and 30, 2000.

2.0 **ANALYSIS NOTES**

2.1 Isotopic Uranium Analyses

EDMC

No problems were encountered during the course of the analyses

2,2 **Total Strontium Analyses**

> The RPD between sample B10NV6 and its sample duplicate was 197%, greater than the 3_o limit of 90%. The difference between sample B10NV6 and its sample duplicate did not exceed 2-times the RDL (1.0 pCi/g) for Sr. No other problems were encountered during the course of the analyses.

2.3 **Technetium-99 Analyses**

No problems were encountered during the course of the analyses.

2.4 Tritium Analyses

No problems were encountered during the course of the analyses.

Case Narrative Certification Statement

Ulessa Mannion

"I certify that this data package is in compliance with the SOW, both technically and for completeness, for other than the conditions detailed above. Release of the data obtained in this hard copy data package has been authorized by the Laboratory Manager or a designee, as verified by the following signature."

Program Manager

12/30/00



Contact Melissa C. Mannion SAMPLE SUMMARY

Client <u>Hanford</u>

Contract TRC-SBB-207925

Case no SDG H1128

| CLIENT SAMPLE ID | LOCATION | MATRIX LEV | LAB EL SAMPLE ID | SAF NO | CHAIN OF CUSTODY | COLLECTED |
|------------------------|----------|------------|---------------------|---------|---------------------|----------------|
| B10NV6 | 100 HR-3 | SOLID | R011074-01 | B99-028 | B99-028-56 | 11/06/00 08:50 |
| B10NV7 | 100 HR-3 | SOLID | R011074-02 | B99-028 | B99-028-56 | 11/06/00 09:15 |
| Method Blank | | SOLID | R011074-04 | B99-028 | | |
| Lab Control Sample | | SOLID | R011074-03 | B99-028 | | |
| Duplicate (R011074-01) | 100 HR-3 | SOLID | R011074-05 | B99-028 | | 11/06/00 08:50 |

SAMPLE SUMMARY Page 1 SUMMARY DATA SECTION Page 3

SDG <u>7554</u>

SDG <u>7554</u> Contact <u>Melissa C. Mannion</u>

QC SUMMARY

Client Hanford

Contract IRC-SBB-207925

Case no SDG H1128

| QC BATCH | CHAIN OF CUSTODY | CLIENT SAMPLE ID | MATRIX | % SOLIDS | SAMPLE AMOUNT | BASIS AMOUNT | DAYS ! | | LAB SAMPLE ID | DEPARTMENT SAMPLE ID |
|----------|---------------------|------------------------|--------|-------------|------------------|-----------------|----------|---|------------------|-------------------------|
| 7554 | B99-028-56 | B10NV6 | SOLID | 100.0 | | | 11/08/00 | 2 | R011074-01 | 7554-001 |
| | | B10NV7 | SOLID | 100.0 | | | 11/08/00 | 2 | R011074-02 | 7554-002 |
| | | Method Blank | SOLID | | | | | | R011074-04 | 7554-004 |
| | | Lab Control Sample | SOLID | | | | | | R011074-03 | 7554-003 |
| | | Duplicate (R011074-01) | SOLID | | | | 11/08/00 | 2 | R011074-05 | 7554-005 |

QC SUMMARY
Page 1
SUMMARY DATA SECTION
Page 4

SDG <u>7554</u> Contact <u>Melissa C. Mannion</u>

PREP BATCH SUMMARY

Client <u>Hanford</u>
Contract <u>TRC-SBB-207925</u>
Case no <u>SDG H1128</u>

| | | | PREPARATION | N ERROR | , | | - PL# | NCHETS | ANALYZ | ZED | QUALI- |
|-------|-----------|---------------------------|-------------|---------|--------------|------|-------|--------|--------|------------------|--------|
| TEST | MATRIX | METHOD | BATCH | 2σ % | CLIENT | MORE | RE | BLANK | LCS | DUP/ORIG MS/ORIG | FIERS |
| Alpha | Spectros | сору | | | | | | | | | |
| U | SOLID | Uranium, Isotopic in Soil | 6962-077 | 5.0 | 2 | | | 1 | 1 | 1/1 | |
| Beta | Counting | | | | | | | | | | |
| SR | SOLID | Total Strontium in Soil | 6962-077 | 10.0 | 2 | | | 1 | 1 | 1/1 | |
| TC | SOLID | Technetium 99 in Soil | 6962-077 | 10.0 | 2 | | | 1 | 1 | 1/1 | |
| Liqui | d Scintil | lation Counting | | | | | | | | | |
| Н | SOLID | Tritium in Soil | 6962-077 | 10.0 | 2 | | | 1 | 1 | 1/1 | |

Duplicates and Matrix Spikes are those with original (Client) sample in this Sample Delivery Group.

Blank and LCS planchets are those in the same preparation batch as some Client, Duplicate or Spike sample.

PREP BATCH SUMMARY
Page 1
SUMMARY DATA SECTION
Page 5

SDG <u>7554</u> Contact <u>Melissa C. Mannion</u>

WORK SUMMARY

Client <u>Hanford</u>
Contract <u>TRC-SBB-207925</u>
Case no <u>SDG H1128</u>

| CLIENT SAMPLE LOCATION CUSTODY | ID SAF No | MATRIX | LAB SAMPLE ID COLLECTED RECEIVED | PLANCHET | TEST | SUF- FIX | ANALYZED | REVIEWED | ву | METHOD |
|--------------------------------------|--------------|--------|--|----------|------|-------------|----------|----------|-----|---------------------------|
| B10NV6 | | | R011074-01 | 7554-001 | Н | | 12/07/00 | 12/21/00 | MCM | Tritium in Soil |
| 100 HR-3 | | SOLID | 11/06/00 | 7554-001 | sr | | 11/30/00 | 12/21/00 | MCM | Total Strontium in Soil |
| B99-028-56 | B99-028 | 402.0 | 11/08/00 | 7554-001 | TC | | 12/21/00 | 12/30/00 | MCM | Technetium 99 in Soil |
| 07, 020 30 | 5,, 420 | | , , , , , , , | 7554-001 | U | | 12/01/00 | 12/22/00 | MCM | Uranium, Isotopic in Soil |
| B10NV7 | | | R011074-02 | 7554-002 | H | | 12/07/00 | 12/21/00 | MCM | Tritium in Soil |
| 100 HR-3 | | SOLID | 11/06/00 | 7554-002 | SR | | 11/30/00 | 12/21/00 | MCM | Total Strontium in Soil |
| B99-028-56 | B99-028 | | 11/08/00 | 7554-002 | TC | | 12/19/00 | 12/30/00 | MCM | Technetium 99 in Soil |
| | | | | 7554-002 | U | | 12/01/00 | 12/22/00 | MCM | Uranium, Isotopic in Soil |
| Method Blank | | | R011074-04 | 7554-004 | Н | | 12/07/00 | 12/21/00 | MCM | Tritium in Soil |
| | | SOLID | | 7554-004 | SR | | 11/30/00 | 12/21/00 | MCH | Total Strontium in Soil |
| | B99-028 | | | 7554-004 | TC | | 12/19/00 | 12/30/00 | MCM | Technetium 99 in Soil |
| | | | | 7554-004 | U | | 12/01/00 | 12/22/00 | MCM | Uranium, Isotopic in Soil |
| Lab Control Sa | ample | | R011074-03 | 7554-003 | Н | | 12/07/00 | 12/21/00 | MCM | Tritium in Soil |
| | | SOLID | | 7554-003 | SR | | 11/30/00 | 12/21/00 | MCM | Total Strontium in Soil |
| | B99-028 | | | 7554-003 | TC | | 12/28/00 | 12/30/00 | MCM | Technetium 99 in Soil |
| | | | | 7554-003 | U | | 12/05/00 | 12/22/00 | MCM | Uranium, Isotopic in Soil |
| Duplicate (RO1 | 11074-01) | | R011074-05 | 7554-005 | н | | 12/07/00 | 12/21/00 | MCM | Tritium in Soil |
| 100 HR-3 | | SOLID | 11/06/00 | 7554-005 | SR | | 11/30/00 | 12/21/00 | MCM | Total Strontium in Soil |
| | B99-028 | | 11/08/00 | 7554-005 | TC | | 12/21/00 | 12/30/00 | MCM | Technetium 99 in Soil |
| | | | | 7554-005 | U | | 12/01/00 | 12/22/00 | MCM | Uranium, Isotopic in Soil |

| TEST | SAF No | COUNTS O | F TESTS BY SAM | IPLE TYPE CLIENT MORE | RE BLANK | LCS | DUP SPIKE | TOTAL |
|--------|--------------------------------|---------------------------|----------------------|------------------------|----------|-----|-----------|-------|
| н | 899-028 | Tritium in Soil | TRITIUM_COX_LSC | 2 | 1 | 1 | 1 | 5 |
| SR | B99-028 | Total Strontium in Soil | SRTOT_SEP_PRECIP_GPC | 2 | 1 | 1 | 1 | 5 |
| TC | B99-028 | Technetium 99 in Soil | TC99_TR_SEP_LSC | 2 | 1 | 1 | 1 | 5 |
| U | B99-028 | Uranium, Isotopic in Soil | UISO_PLATE_AEA | 2 | 1 | 1 | 1 | 5 |
| TOTALS | 188 (88 (81) 187) 20 (81) 187 | | | 8 | 4 | 4 | 4 | 20 |

WORK SUMMARY
Page 1
SUMMARY DATA SECTION
Page 6

T M A / R I C H M O N D SAMPLE DELIVERY GROUP H1128

R011074-04

METHOD BLANK

Method Blank

| | 7554 Melissa C. Mannion | Client/Case no Contract | Hanford TRC-SBB-207925 | SDG_H1128 |
|---------------------------------|----------------------------|---|---------------------------|-----------|
| Lab sample id Dept sample id | | Client sample id Material/Matrix SAF No | | SOLID |

| ANALYTE | CAS NO | RESULT pCi/g | 2σ ERR (COUNT) | MDA pCi/g | RDL pCi/g | QUALI- FIERS | TEST |
|-----------------|------------|-----------------|-------------------|--------------|--------------|-----------------|------|
| Tritium | 10028-17-8 | -0.447 | 3.6 | 6.1 | 400 | Ū | Н |
| Total Strontium | SR-RAD | -0.058 | 0.12 | 0.27 | 1.0 | U | SR |
| Technetium 99 | 14133-76-7 | 0.175 | 0.17 | 0.67 | 15 | U | TC |
| Uranium 233 | U-233/234 | 0.042 | 0.055 | 0.11 | 1.0 | υ | U |
| Uranium 235 | 15117-96-1 | 0.017 | 0.034 | 0.13 | 1.0 | ប | U |
| Uranium 238 | U-238 | 0.028 | 0.028 | 0.11 | 1.0 | U | U |

100-HR-3 Pump & Treat - Resin Smplg.

| QC- | BL | /NK | 36 | 74 | 6 |
|-----|----|-----|----|----|---|
| | | | | | |

METHOD BLANKS

Page 1
SUMMARY DATA SECTION

Page 7

R011074-03

LAB CONTROL SAMPLE

Lab Control Sample

| SDG <u>7554</u> Contact <u>Melissa C. Mannion</u> | Client/Case no <u>Hanford</u> <u>SDG_H1128</u> Case no <u>TRC-SBB-207925</u> |
|--|---|
| Lab sample id <u>R011074-03</u> Dept sample id <u>7554-003</u> | Client sample id <u>lab Control Sample</u> Material/Matrix <u>SOLID</u> SAF No <u>B99-028</u> |

| ANALYTE | RESULT pCi/g | 2σ ERR (COUNT) | MDA pCi/g | RDL pCi/g | QUALI- FIERS | TEST | ADDED pCi/g | 2σ ERR pCi/g | REC % | 3σ LMTS (TOTAL) | PROTOCOI LIMITS |
|-----------------|-----------------|-------------------|--------------|--------------|-----------------|------|----------------|-----------------|-------|--------------------|--------------------|
| Tritium | 1430 | 19 | 6.1 | 400 | _ | н | 1490 | 60 | 96 | 84-116 | 80-120 |
| Total Strontium | 22.4 | 0.97 | 0.34 | 1.0 | | SR | 22.0 | 0.88 | 102 | 82-118 | 80-120 |
| Technetium 99 | 112 | 1.8 | 0.41 | 15 | | TC | 109 | 4.4 | 103 | 83-117 | 80-120 |
| Uranium 233 | 9.26 | 0.59 | 0.27 | 1.0 | | U | 9.29 | 0.37 | 100 | 86-114 | 80-120 |
| Uranium 235 | 7.42 | 0.52 | 0.042 | 1.0 | | U | 7.55 | 0.30 | 98 | 86-114 | 80-120 |
| Uranium 238 | 10.1 | 0.63 | 0.26 | 1.0 | | u [| 10.1 | 0.40 | 100 | 87-113 | 80-120 |

100-HR-3 Pump & Treat - Resin Smplg.

| QC-LCS 36745 | |
|--------------|--|

LAB CONTROL SAMPLES
Page 1
SUMMARY DATA SECTION
Page 8

R011074-05

DUPLICATE

B10NV6

| SDG | 7554 | | Client/Case no | Hanford SDG H1128 |
|----------------|---------------------------|---------------------------------|------------------|----------------------------------|
| Contact | <u>Melissa C. Mannion</u> | | Case no | TRC-SBB-207925 |
| | DUPLICATE | ORIGINAL | | |
| Lab sample id | R011074-05 | Lab sample id <u>R011074-01</u> | Client sample id | B10NV6 |
| Dept sample id | 7554-005 | Dept sample id <u>7554-001</u> | Location/Matrix | 100 HR-3 SOLID |
| | | Received <u>11/08/00</u> | Collected | 11/06/00 08:50 |
| | | % solids <u>100.0</u> | Custody/SAF No | <u>B99-028-56</u> <u>B99-028</u> |

| ANALYTE | DUPLICATE pCi/g | 2σ ERR (COUNT) | MDA pCi/g | RDL pCi/g | QUALI- FIERS | TEST | ORIGINAL pCi/g | 2σ ERR (COUNT) | MDA pCi/g | QUALI- FIERS | RPD % | 3σ PRO |
|-----------------|--------------------|-------------------|--------------|--------------|-----------------|------|-------------------|-------------------|--------------|-----------------|-------------|--------|
| Tritium | 7.90 | 3.7 | 5.8 | 400 | ٦ | н | 11.1 | 3.8 | 5.8 | j | 34 | 86 |
| Total Strontium | 0.707 | 0.17 | 0.22 | 1.0 | J | SR | 0.005 | 0.11 | 0.24 | U | <u> 197</u> | 90 |
| Technetium 99 | 18.9 | 1.3 | 0.96 | 15 | | TC | 18.2 | 1.1 | 1.1 | | 4 | 25 |
| Uranium 233 | 0.114 | 0.069 | 0.087 | 1.0 | J | U | 0.138 | 0.050 | 0.038 | J | 19 | 102 |
| Uranium 235 | 0.014 | 0.028 | 0.11 | 1.0 | U | บ | 0 | 0.012 | 0.046 | U | - | |
| Uranium 238 | 0.080 | 0.069 | 0.087 | 1.0 | U | υ | 0.133 | 0.050 | 0.038 | J | 50 | 120 |

100-HR-3 Pump & Treat - Resin Smplg.

| QC-DUP#1 36747 | | | | |
|----------------|----------|-------|--|--|
| | QC-DUP#1 | 36747 | | |

DUPLICATES
Page 1
SUMMARY DATA SECTION
Page 9

T M A / R I C H M O N D SAMPLE DELIVERY GROUP H1128

R011074-01

DATA SHEET

B10NV6

| 1 | 7554 Melissa C. Mannion | Client/Case no Contract | Hanford TRC-SBB-207925 | SDG_H1128 |
|---|----------------------------|--|----------------------------|-----------|
| Lab sample id Dept sample id Received % solids | 7554-001 11/08/00 | Client sample id Location/Matrix Collected Custody/SAF No | 100 HR-3 11/06/00 08:50 | SOLID |

| ANALYTE | CAS NO | RESULT pCi/g | 2σ ERR (COUNT) | MDA pCi/g | RDL pCi/g | QUALI- FIERS | TEST |
|-----------------|------------|-----------------|-------------------|--------------|--------------|-----------------|------|
| Tritium | 10028-17-8 | 11.1 | 3.8 | 5.8 | 400 | J | Ħ |
| Total Strontium | SR-RAD | 0.005 | 0.11 | 0.24 | 1.0 | ซ | SR |
| Technetium 99 | 14133-76-7 | 18.2 | 1.1 | 1.1 | 15 | | TC |
| Uranium 233 | U-233/234 | 0.138 | 0.050 | 0.038 | 1.0 | J | Ū |
| Uranium 235 | 15117-96-1 | 0 | 0.012 | 0.046 | 1.0 | U | U |
| Uranium 238 | U-238 | 0.133 | 0.050 | 0.038 | 1.0 | J | U |

100-HR-3 Pump & Treat - Resin Smplg.

DATA SHEETS
Page 1
SUMMARY DATA SECTION
Page 10

T M A / R I C H M O N D SAMPLE DELIVERY GROUP H1128

R011074-02

DATA SHEET

B10NV7

| 1 | 7554 Melissa C. Mannion | Client/Case no Contract | Hanford TRC-SBB-207925 | SDG_H1128 |
|---|----------------------------|--|----------------------------|-----------|
| Lab sample id Dept sample id Received % solids | 7554-002 11/08/00 | Client sample id Location/Matrix Collected Custody/SAF No | 100 HR-3 11/06/00 09:15 | SOLID |

| ANALYTE | CAS NO | RESULT pCi/g | 2σ ERR (COUNT) | MDA pCi/g | RDL pCi/g | QUALI- FIERS | TEST |
|-----------------|------------|-----------------|-------------------|--------------|--------------|-----------------|------|
| Tritium | 10028-17-8 | 18.8 | 4.1 | 5.9 | 400 | J | Н |
| Total Strontium | SR-RAD | -0.002 | 0.12 | 0.25 | 1.0 | U | SR |
| Technetium 99 | 14133-76-7 | 36.5 | 1.5 | 1.0 | 15 | | TC |
| Uranium 233 | U-233/234 | 0.449 | 0.17 | 0.10 | 1.0 | J | U |
| Uranium 235 | 15117-96-1 | 0.049 | 0.066 | 0.13 | 1.0 | U | U |
| Uranium 238 | U-238 | 0.367 | 0.14 | 0.10 | 1.0 | J | U |

100-HR-3 Pump & Treat - Resin Smplg.

DATA SHEETS
Page 2
SUMMARY DATA SECTION
Page 11

Test <u>U</u> Matrix <u>SOLID</u> SDG <u>7554</u> Contact <u>Melissa C. Mannion</u>

METHOD SUMMARY URANIUM, ISOTOPIC IN SOIL ALPHA SPECTROSCOPY

Client <u>Hanford</u>
Contract <u>TRC-SBB-207925</u>
Contract <u>SDG H1128</u>

RESULTS

| CLIENT SAMPLE ID | LAB SAMPLE ID | RAW SUF- TEST FIX PLANCHET | 1: Uranium 233 | 2: Uranium 235 | 3: Uranium 238 | | RESUI | LT RA΄ 2σ | T10S 2÷3 | (%) 2σ |
|-------------------------|------------------|-------------------------------|-------------------|-------------------|-------------------|----------|-------|--------------|-------------|-----------|
| | | | | 6.33 | 230 | | 173 | 20 | 2+3 | |
| Preparation batch 6962- | 077 | | | | "" | | | | | |
| B10NV6 | R011074-01 | 7554-001 | 0.138 J | U | 0.133 J | | 104 | 54 | 0 | 9 |
| B10NV7 | R011074-02 | 7554-002 | 0.449 J | U | 0.367 J | | 122 | 66 | 13 | 19 |
| BLK (QC ID=36746) | R011074-04 | 7554-004 | U | U | U | | | | | |
| LCS (QC ID=36745) | R011074-03 | 7554-003 | ok | ok | ok | | | | | |
| Duplicate (R011074-01) | R011074-05 | 7554-005 | ok J | - υ | ok U | | | | | |
| Nominal values and limi | ts from metho | d RDLs (pCi/g) | 1.0 | 1.0 | 1.0 | | 100 | | 4 | _ |
| 100-HR-3 Pump & Treat - | Resin Smplg. | | | | | Averages | 113 | | 7 | |

METHOD PERFORMANCE

| CLIENT SAMPLE ID | LAB SAMPLE ID | RAW TEST | | MAX MD/ pCi/g | g g | PREP FAC | DILU- | YIELD % | EFF % | | FWHM keV | | PREPARED | ANAL - YZED | DETECTOR |
|---|-------------------|-------------|---------|------------------|----------|-------------|--|------------|----------|-----|-------------|---------|----------|----------------|----------|
| Preparation batch 6962- | 077 2 <i>σ</i> pr | ep er | ror 5.0 |) % Re | eference | Lab | Notebool | 6962 | pg. | 077 | | | | | |
| B10NV6 | R011074-01 | | | 0.046 | 1.07 | | | 89 | | 259 | | 25 | 11/30/00 | 12/01 | SS-041 |
| B10NV7 | R011074-02 | | | 0.13 | 1.00 | | | 84 | | 109 | | 25 | 11/30/00 | 12/01 | ss-027 |
| BLK (QC ID=36746) | R011074-04 | | | 0.13 | 1.00 | | | 76 | | 109 | | | 11/30/00 | 12/01 | SS-031 |
| LCS (QC ID=36745) | R011074-03 | | | 0.27 | 1.00 | | | 83 | | 275 | | | 11/30/00 | 12/05 | SS-029 |
| Duplicate (R011074-01) (QC ID=36747) | R011074-05 | | | 0.11 | 1.05 | | | 87 | | 109 | | 25 | 11/30/00 | • | ss-032 |
| Nominal values and limi | ts from metho | xd | | 1.0 | 1.00 | | ************************************* | 20-105 | 5 | 100 | 100 | 180 | | - | |

| PROCEDURES | REFERENCE CP-911 | UISO_PLATE_AEA Uranium in Water and Dissolved Sample by |
|------------|---------------------|--|
| | | Extraction Chromatography, rev 2 |
| | CP-008 | Heavy Element Electroplating, rev 3 |

| AVERAGES ± 2 SD | MDA <u>0.14</u> ± <u>0.16</u> | |
|-----------------|-------------------------------|--|
| FOR 5 SAMPLES | YIELD <u>84</u> ± <u>10</u> | |

METHOD SUMMARIES
Page 1
SUMMARY DATA SECTION
Page 12

Test <u>SR</u> Matrix <u>SOLID</u>
SDG <u>7554</u>
Contact <u>Melissa C. Mannion</u>

METHOD SUMMARY TOTAL STRONTIUM IN SOIL BETA COUNTING

Client Hanford
Contract TRC-SBB-207925
Contract SDG H1128

RESULTS

| CLIENT SAMPLE ID | LAB SAMPLE ID | RAW SUF- TEST FIX | PLANCHET | Total Strontium | | |
|-------------------------|------------------|----------------------|----------|--------------------|-------|---|
| Preparation batch 6962- | 077 | | | | • | |
| B10NV6 | R011074-01 | | 7554-001 | U | | |
| B10NV7 | R011074-02 | | 7554-002 | U | | |
| BLK (QC ID=36746) | R011074-04 | | 7554-004 | U | | • |
| LCS (QC ID=36745) | R011074-03 | | 7554-003 | ok | | |
| Duplicate (R011074-01) | R011074-05 | | 7554-005 | OUT J | | |

METHOD PERFORMANCE

| CLIENT SAMPLE ID | LAB Sample | ID | RAW TEST | | MDA pCi/g | | PREP FAC | DILU- | YIELD % | | | FWHM keV | | PREPARED | ANAL- YZED | DETECTOR |
|---|---------------|-------|-------------|-------|--------------|-----------|-------------|----------|------------|-----|-----|-------------|---------|----------|---------------|----------|
| Preparation batch 6962- | 077 2 | 2σ рг | ep er | ror 1 | 0.0 % | Reference | Lab | Notebool | k 6962 | pg. | 077 | | | | | |
| B10NV6 | R011074 | 4-01 | | | 0.24 | 1.12 | | | 91 | | 100 | | 24 | 11/30/00 | 11/30 | GRB-230 |
| B10NV7 | R011074 | 4-02 | | | 0.25 | 1.09 | | | 94 | | 100 | | 24 | 11/30/00 | 11/30 | GRB-231 |
| BLK (QC ID=36746) | R011074 | 4-04 | | | 0.27 | 1.00 | | | 92 | | 100 | | | 11/30/00 | 11/30 | GRB-207 |
| LCS (QC ID=36745) | R011074 | 4-03 | | | 0.34 | 1.00 | | | 94 | | 100 | | | 11/30/00 | 11/30 | GRB-232 |
| Duplicate (R011074-01) (QC ID=36747) | R011074 | 4-05 | | | 0.22 | 1.02 | | | 94 | | 118 | | 24 | 11/30/00 | 11/30 | GRB-222 |
| Nominal values and limi | ts from 1 | metho | od | | 1.0 | 1.00 | | | 30-10 | 5 | 100 | | 180 | | | |

| ١ | PROCEDURES | REFERENCE | SRTOT_SEP_PRECIP_GPC |
|---|------------|-----------|---|
| I | | CP-502 | Strontium in Solids, rev 2 |
| I | | CP-519 | Strontium Planchet Demounting and Preparation for |
| | | | 90Y Decontamination, rev 2 |
| ı | | | |

AVERAGES ± 2 SD MDA 0.26 ± 0.092 FOR 5 SAMPLES YIELD 93 ± 3

METHOD SUMMARIES
Page 2
SUMMARY DATA SECTION
Page 13

Test TC Matrix SOLID

SDG 7554

Contact Melissa C. Mannion

METHOD SUMMARY TECHNETIUM 99 IN SOIL BETA COUNTING

Client Hanford
Contract TRC-SBB-207925
Contract SDG H1128

RESULTS

| CLIENT SAMPLE ID | LAB SAMPLE ID | RAW SUF- TEST FIX PLANCHET | Technetium 99 | |
|--|------------------|-------------------------------|------------------|--|
| Preparation batch 6962- | 077 | | | |
| B10NV6 | R011074-01 | 7554-001 | 18.2 | |
| B10NV7 | R011074-02 | 7554-002 | 36.5 | |
| BLK (QC ID=36746) | R011074-04 | 7554-004 | U | |
| LCS (QC ID=36745) | R011074-03 | 7554-003 | ok | |
| Duplicate (R011074-01) | R011074-05 | 7554-005 | ok | |
| Nominal values and limi 100-HR-3 Pump & Treat - | | (p, g. | 15 | |

METHOD PERFORMANCE

| CLIENT SAMPLE ID | LAB SAMPLE ID | RAW TEST | SUF- FIX | MDA pCi/g | | PREP FAC | DILU- | YIELD % | EFF % | | | | PREPARED | ANAL- YZED | DETECTOR |
|---|------------------|-------------|-------------|--------------|-----------|-------------|----------|------------|----------|-----|-------------------|-----|----------|---------------|----------|
| Preparation batch 6962-0 | 177 2σp | rep er | ror 10 | 0.0 % | Reference | Lab | Notebook | 6962 | pg. | 077 | | | | | |
| 810NV6 | R011074-01 | | | 1.1 | 1.02 | | | 47 | | 50 | | 45 | 12/01/00 | 12/21 | GRB-218 |
| B10NV7 | R011074-02 | | | 1.0 | 1.06 | | | 48 | | 50 | | 43 | 12/01/00 | 12/19 | GRB-230 |
| BLK (QC ID=36746) | R011074-04 | | | 0.67 | 1.00 | | | 76 | | 50 | | | 12/01/00 | 12/19 | GRB-232 |
| LCS (QC ID=36745) | R011074-03 | | | 0.41 | 1.00 | | | 90 | | 93 | | | 12/01/00 | 12/28 | GRB-202 |
| Duplicate (R011074-01) (QC ID=36747) | R011074-05 | | | 0.96 | 1.02 | | | 53 | | 50 | | 45 | 12/01/00 | 12/21 | GRB-217 |
| Nominal values and limit | s from meth | od | | 15 | 1.00 | | ··· | 20-10 | 5 | 50 | · | 180 | | | |

| | PROCEDURES | REFERENCE | TC99_TR_SEP_LSC |
|---|------------|-----------|---|
| | | CP-060 | Soil Preparation, rev 2 |
| | | CP-021 | Preparation of Tc-99m Tracer, rev 0 |
| | | CP-002 | Q.C. Preparation, rev 2 |
| 1 | | CP-003 | Tracing, rev 2 |
| | | CP-542 | Technetium-99 Purification (Soil) by Extraction |
| | | | Chromatography, rev 0 |
| | | CP-008 | Heavy Element Electroplating, rev 3 |
| | | | |

| AVERAGES ± 2 SD | MDA _ | 0.83 | ± | 0.57 |
|-----------------|---------|------|---|------|
| FOR 5 SAMPLES | YIELD _ | 63 | ± | |

METHOD SUMMARIES
Page 3
SUMMARY DATA SECTION
Page 14

TMA/RICHMOND

SAMPLE DELIVERY GROUP H1128

Test H Matrix SOLID

SDG <u>7554</u>

Contact Melissa C. Mannion

METHOD SUMMARY TRITIUM IN SOIL

LIQUID SCINTILLATION COUNTING

Client <u>Hanford</u>

Contract TRC-SBB-207925

Contract SDG_H1128

| | | т | |
|--|--|---|--|
| | | | |
| | | | |

| CLIENT SAMPLE ID | LAB SAMPLE ID | RAW SUF- TEST FIX PLANCHET | Trit | ium | |
|-------------------------|------------------|-------------------------------|------|-----|------|
| Preparation batch 6962- | 077 | | | | |
| B10NV6 | R011074-01 | 7554-001 | 11.1 | j | |
| B10NV7 | R011074-02 | 7554-002 | 18.8 | J | |
| BLK (QC ID=36746) | R011074-04 | 7554-004 | U | | |
| LCS (QC ID=36745) | R011074-03 | 7554-003 | ok | | |
| Duplicate (R011074-01) | R011074-05 | 7554-005 | ok | J | |

METHOD PERFORMANCE

| CLIENT SAMPLE ID | LAB SAMPLI | E ID | RAW TEST | SUF- FIX | | | PREF FAC | DILU- | YIELD % | EFF % | | FWHM keV | | PREPARED | ANAL - YZED | DETECTOR |
|---|---------------|-------|-------------|-------------|--------|-----------|-------------|----------|------------|----------|-----|-------------|------|----------|----------------|----------|
| Preparation batch 6962- | 077 | 2σ p | rep er | ror ' | 10.0 % | Reference | Lab | Notebook | 6962 | pg. | 077 | | | | | |
| B10NV6 | R0110 | 74-01 | | | 5.8 | 0.215 | | | 100 | | 100 | | 31 | 12/06/00 | 12/07 | LSC-006 |
| B10NV7 | R0110 | 74-02 | | | 5.9 | 0.209 | | | 100 | | 100 | | 31 | 12/06/00 | 12/07 | LSC-006 |
| BLK (QC ID=36746) | R0110 | 74-04 | | | 6.1 | 0.200 | | | 100 | | 100 | | | 12/06/00 | 12/07 | LSC-006 |
| LCS (QC ID=36745) | R0110 | 74-03 | | | 6.1 | 0.200 | | | 100 | | 100 | | | 12/06/00 | 12/07 | LSC-006 |
| Duplicate (R011074-01) (QC ID=36747) | R0110 | 74-05 | | | 5.8 | 0.212 | | | 100 | | 100 | | 31 | 12/06/00 | 12/07 | LSC-006 |
| Nominal values and limi | ts from | meth | od | | 400 | 0.200 | | | | | 25 | | 180 | | | |

| PROCEDURES | REFERENCE | TRITIUM_COX_LSC |
|------------|-----------|------------------------------------|
| 1 | CP-060 | Soil Preparation, rev 2 |
| | CP-251 | Tritium/Carbon-14 Oxidation, rev 2 |


AVERAGES ± 2 SD MDA <u>5.9</u> ± <u>0.30</u> FOR 5 SAMPLES YIELD 100 ± 0

METHOD SUMMARIES Page 4 SUMMARY DATA SECTION Page 15

| Bechtel Hanfo | rd Inc. | C | HAIN OF CUST | CUSTODY/SAMPLE ANALYSIS REQUEST | | | | | | B99-028-56 | | Page 1 | of <u>l</u> |
|---|---------------------------|----------------|--------------------------|---------------------------------|---------------------------------|------------------------------------|--------------------|--|-----------------------------------|---------------------------------------|---|-----------|-----------------------------------|
| Collector Fahlberg | | | any Contact ckett | Telephor 373-40 | | | | Project Coord TRENT, SJ | nator | Price Code | 9N | | rnaround |
| Project Designation 100-HR-3 Pump & Treat - Ro | esin Sampling | | ing Location ### HR-3 | 128 (| 7554 | <u>/</u>) | | SAF No. B99-028 | | Air Qualit | у 🗆 | 45 | Days ——— |
| Ice Chest No. | 9.044 (1 | | Logbook No. 1517-1 | | COA R10HR30 | C570 | | Method of Ship Fed Ex | ment | | | | |
| Shipped To TMA/RECKA (1/6/4 | | Offsite | Property No. | 100 | lø | | · | Bill of Lading | AirBiji 15-L | <u> </u> | -035 | Ø | |
| POSSIBLE SAMPLE HAZA HISTORIALI D That Samp | ards/remarks HTH INDIC | ates | Preservation | None | None | None | Non | | Cool 4 | | None | | |
| that Samp | les anex | \$100 pc 14 | Type of Container | aG | aG | ≱ G | aG | i aG | \\ aG | <u>. 1</u> | aG | | |
| | | J | No. of Container(s) | i | 1 | 1 | ī | 1 | 1 | - | 1 | | |
| Special Handling and/or Sto | rage | | Volume | 60mL | 60mL | 60mL | 120n | nL 250mL | 250m | 2 Oml. | 500mL | | |
| | SAMPLE ANAL | .ysis | | Isotopic Uranium | Strontium- 89,90 Total Sr | Technetium-99 | Tritium | - H3 Semi-VOA - 8270A (TCL) {Bis(2- ethylbexyl) phthalate} | See item (Specia Instructi | 300000 | See item (2) in Special Instructions. | | |
| Sample No. | Matrix * | Sample Date | Sample Time | | | | | | | | | | |
| B10NV6 V | OTHER SOLID | 11/6/00 4 | 0850V | X | X | K | X | | | | | | |
| B10NV7 / | OTHER SOLID | 11/6/00 | 0915V | K · | χν | Χν | χ, | , | | | | | |
| | | | | | | | | | | | | | |
| | | | | ļ | <u> </u> | | | | <u> </u> | | _} | | |
| | | <u> </u> | | | | | | | <u> </u> | | | | Matrix * |
| CHAIN OF POSSESSIC Relinquished By | Date/Time (3/2 | - Sign/Pili | together | ate/Time 13 | | CIAL INSTR distorical data in | | DNS hat samples are less | than 200 | D pCi total activit | y . | _ | S=Soil |
| R.fallbara R.fal | 11/6/00 | Ref | 2-13 11.6 | .00 | بد | VOA . \$360A (| (a) (a | hloroform, Methyle | echloride |); VOA. 8360A | (Add On) | P.T. 600 | SE=Sediment |
| Settlement By Removed | Date/Time | O Marcond Hard | RInoren | ate/Time 68 | 1 1277 | ohloromonofluor Motale by ICP (| CLD) | 1711/6010 (Americ | Drian, | Cabrican, Chro | nium, Loud, Bel | miam, | S =Sledge W = Water |
| Replication Day | Pate/Time 0 8 3 | B Received By | | 7 00 0 applime | — eliv | a), Metals by id | II (TCL | P) A. id on . 1311/6 | ilo (Anti | nesy, Penylinm, | (lodoil | | O-Oid A=Air DS=Dreen Solids |
| | ANILIAC | 11461 | EY 1 | 10 LO | 2 | | | 20 | | | | / | DL~Drum Liquids T=Tissue |
| Relinquished By EXPLOS | Date Time 10. | Received By | - () | 28 / (2) | <u> </u> | | | Ref.# Ref.# on # 16/600 | | | | | W!=Wipe L=Liquid |
| Relinquished By | Date/Time | Received By | 1. / 1 | ate/Time | | available to | reling | quish samples | Collecte on <u>/1_/7</u> | r not | _ | | V=Vegetation X=Other |
| Relinquished By | Date/Time | Received By | D | ate/Time | | ·Parici | = 6: | | | 1//2 1 | | | |
| LABORATORY Received By SECTION | y | | | Tit | le | | | | | - "[[[| Γ | ate/Time | . |
| FINAL SAMPLE Disposal Me | ethod | | ···· | | | Dispo | sed By | | | · · · · · · · · · · · · · · · · · · · | = i | Date/Time | |
| <u> </u> | | | | | | | | | | | | | |

SAMPLE RECEIPT CHECKLIST

| | SAMPLE RECEIPT | | | | | | | | | |
|-----------|---------------------------------------|--------------|----------------------|-------------|----------------|---------------|--------------|--|--|--|
| Client: _ | BECHT | EL H | ANFORD H | ℃ Date/T | ime received _ | 11-08/0 | 10: Am | | | |
| CoC No | B99-0 | 128-56 | | | | | | | | |
| Contain | er I.D. No. U | RC 99 -t | Requested | TAT (Days) | 45 P.O. | Received Ye | s [] No [4] | | | |
| | | | INSP | ECTION | | | | | | |
| 1. | Custody seals | on shipping | container intac | t? | Yes [V] | No [] | N/A [] | | | |
| 2. | Custody seals | on shipping | container dated | d & signed? | Yes [V] | No [] | N/A [] | | | |
| 3. | Custody seals | on sample | containers intect | t? | Yes [🗸] | No [] | N/A [] | | | |
| 4. | Custody seals | on sample | containers dated | l & signed? | Yes [V] | No[] | N/A [] | | | |
| 5. | Cooler Temper | ature: | | Packin | g material is: | Wet [] | Dry [4 | | | |
| 6. | Number of sar | nples in shi | pping container: | 2x4 | 1 = (8 en | itainer) | | | | |
| 7. | Number of cor | ntainers per | sample:{4_ | EACH) | (Or see CoC |) | | | | |
| 8. | Paperwork agr | ees with sa | ımples? | | Yes[🔏 | No [] | | | | |
| 9. | Samples have: | Tape [] | Hazard labels [|] Rad lab | oels [] Appro | priate sample | labels [] | | | |
| 10. | Samples are: | In good co | ondition [4/ Le | aking [] | Broken Con | tainer [] M | lissing [] | | | |
| 11. | Describe any a | anomalies: | | | | · | | | | |
| | | | | | | | | | | |
| 13. | Was P.M. not | ified of any | · vanomalies? Yes | s [] | No[] D | ate | | | | |
| 14. | Received by _ | E. | Seguro | Date: | 1108/12 | | AM | | | |
| Custome | er Sample No. | cpm | mr/hr | | Customer San | nple No. C | pm mr/hr | | | |
| | | | | | | ·• — | · | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | · · · · · · · · · · · · · · · · · · · | | | | | | | | | |
| Ion Chan | nber Ser. No. | | | Calibrat | ion date | | | | | |
| Survey N | Лeter Ser No. | • • | | Calibrat | ion date | | | | | |



CLIENT ID /ANALYSIS RFW # MTX PREP # COLLECTION EXTR/PREP ANALYSIS B10NV6 **%** SOLIDS 001 SO 00L%S178 11/06/00 11/09/00 11/10/00 % SOLIDS 001 REP SO 00L%S178 11/06/00 11/09/00 11/10/00 NITRATE BY IC 001 SO 00LXC076 11/06/00 11/29/00 11/29/00 11/29/00 NITRATE BY IC 001 REP SO 00LXC076 11/06/00 11/29/00 NITRATE BY IC 001 MS SO 00LXC076 11/06/00 11/29/00 11/29/00 TCLP 001 SO 00LT0141 11/06/00 12/14/00 12/15/00 B10NV7 % SOLIDS 002 SO 00L%S178 11/06/00 11/09/00 11/10/00 SO 00LTO141 11/06/00 12/14/00 NITRATE BY IC 002 11/29/00 TCLP 002 12/15/00 LAB OC:

S 00LXC076

S 00LXC076 N/A S 00LXC076 N/A

N/A

11/29/00

11/29/00

11/29/00

11/29/00

MB1

MB1 BS

DATE RECEIVED: 11/08/00

NITRATE BY IC

NITRATE BY IC



Chemical and Environmental Measurement Information

Recra LabNet Philadelphia **Analytical Report**

Client: TNU-HANFORD B99-028 H1128

W.O. #: 10985-001-001-9999-00

RFW#: 0011L194

Date Received: 11-08-00

INORGANIC CASE NARRATIVE

1. This narrative covers the analyses of 2 solid samples.

- 2. The samples were prepared and analyzed in accordance with the methods indicated on the attached glossary.
- Sample holding times as required by the method and/or contract were met. 3.
- 4. The cooler temperatures were recorded on the chain-of-custody.
- The method blank for Nitrate was within method criteria. 5.
- 6. The Laboratory Control Sample (LCS) for Nitrate was within the laboratory control limits.
- 7. The matrix spike recovery for Nitrate was within the 75-125% control limits.
- 8. The replicate analyses were within the 20% Relative Percent Difference (RPD) control limit.
- 9. Results for solid samples are reported on a dry weight basis.
- 10. I certify that this sample data package is in compliance with SOW requirements, both technically and for completeness, other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the Laboratory Manager or a designee, as verified by the following signature.

J. Michael Taylor

VP, Laboratory General Manager

Lionville Laboratory

njp&pef\i11-194

The results presented in this report relate only to the analytical testing and conditions of the samples at receipt and during storage. All pages of this report are integral parts of the analytical data. Therefore, this report should only be reproduced in its entirety of 10 pages.

Recra LabNet Philadelphia

WET CHEMISTRY METHODS GLOSSARY FOR SOIL/SOLIDS SAMPLE ANALYSIS

| | <u>ASTM</u> | <u>SW846</u> | <u>OTHER</u> |
|----------------------------------|--------------|-------------------|--------------------|
| % Ash | D2216-80 | | |
| % Moisture | | | ILMO4.0 (e) |
| % Solids | | | ILMO4.0 (e) |
| % Volatile Solids | D2216-80 | | |
| ASTM Extraction in Water | D3987-81/85 | | |
| BTU | D240-87 | | |
| CEC | - | 9081 | _ c |
| Chromium VI | | 3060A/7196A | |
| Corrosivity by coupon by pH | | 1110(mod) 9045C | |
| Cyanide, Total | | 9010B | ILMO4.0 (e) |
| Cyanide, Reactive | | Section 7.3/9014 | |
| Halides, Extractable Organic | | 9020B | EPA 600/4/84-008 |
| Halides, Total | | 9020B | _ EPA 600/4/84-008 |
| EP Toxicity | | 1310A | |
| Flash Point | | 1010 | |
| Ignitability | | 1010 | |
| Oil & Grease | | ^{9071A} | |
| Carbon, Total Organic | | — 9060 | Lloyd Kahn (mod) |
| Oxygen Bomb Prep for Anions | D240-87(mod) | 5050 | |
| Petroleum Hydrocarbons, Total Re | coverable | 9071 | _ EPA 418.1 |
| pH, Soil | | 9045C | |
| Sulfide, Reactive | | Section 7.3/9030B | |
| Sulfide | | 9030B(mod) | |
| Specific Gravity | D1429-76C/ _ | D5057-90 | |
| Sulfur, Total | | 9056 | |
| Synthetic Preparation Leach | | 1312 | |
| Paint Filter | | 9095A | / ` |
| Other: Vitrate | | FRA 300.0 (Augus | (1) |
| Other: | Method | | |

Recra LabNet Philadelphia METHOD REFERENCES AND DATA QUALIFIERS

DATA QUALIFIERS

- U = Indicates that the parameter was not detected at or above the reported limit. The associated numerical value is the sample detection limit.
- * = Indicates that the original sample result is greater than 4x the spike amount added.

ABBREVIATIONS

MB = Method or Preparation Blank.

MS = Matrix Spike.

MSD = Matrix Spike Duplicate.

REP = Sample Replicate

LC = Laboratory Control Sample.

NC = Not calculated.

A suffix of -R, -S, or -T following these codes indicate a replicate, spike or sample duplicate analysis respectively.

ANALYTICAL WET CHEMISTRY METHODS

- 1. ASTM Standard Methods.
- 2. USEPA Methods for Chemical Analysis of Water and Wastes (USEPA 600/4-79-020).
- 3. Test Methods for Evaluating Solid Waste (USEPA SW-846).
- a. Standard Methods for the Examination of Water and Waste, 16 ed, (1983).
- b. Standard Methods for the Examination of Water and Waste, 17 ed, (1989)/18ed (1992).
- c. Method of Soil Analysis, Part 1, Physical and Mineralogical Methods, 2nd ed, (1986).
- d. Method of Soil Analysis, Part 2, Chemical and Microbiological Properties, Am. Soc. Agron., Madison, WI (1965).
- e. USEPA Contract Laboratory Program, Statement of Work for Inorganic Analysis.
- f. Code of Federal Regulations.

INORGANICS DATA SUMMARY REPORT 12/15/00

CLIENT: TNUHANFORD B99-028 H1128 RECRA LOT #: 0011L194

| | | | | | REPORTING | DILUTION |
|--------|---------|---------------|--------|-------|-----------|----------|
| SAMPLE | SITE ID | ANALYTB | rrsult | UNITS | LIMIT | FACTOR |
| | | | | | | |
| -001 | B10NV6 | • Solids | 44.5 | * | 0.01 | 1.0 |
| | | Nitrate by IC | 20 | MG/KG | 2.8 | 1.0 |
| -002 | B10NV7 | % Solids | 44.2 | • | 0.01 | 1.0 |
| | | Nitrate by IC | 21 | MG/KG | 2.8 | 1.0 |

INORGANICS METHOD BLANK DATA SUMMARY PAGE 12/15/00

CLIENT: TNUHANFORD B99-028 H1128

RECRA LOT #: 0011L194

| | | | | | KEPOKIING | DILUTION |
|---------|--------------|---------------|--------|-------|-----------|----------|
| SAMPLE | SITE ID | ANALYTE | result | UNITS | LIMIT | FACTOR |
| | | | | | | |
| BLANK10 | 00LXC076-MB1 | Nitrate by IC | 1.2 u | MG/KG | 1.2 | 1.0 |

INORGANICS ACCURACY REPORT 12/15/00

CLIENT: TNUHANFORD B99-028 H1128

RECRA LOT #: 0011L194

| | | | SPIKED | INITIAL | SPIKED | | DILUTION |
|---------|--------------|---------------|--------|---------|--------|--------|--------------|
| SAMPLE | SITE ID | ANALYTE | SAMPLE | RESULT | THUOMA | *RECOV | FACTOR (SPK) |
| | ************ | | | | + | | ******* |
| -001 | B10NV6 | Nitrate by IC | 78 | 20 | 56 | 103.6 | 1.0 |
| BLANK10 | 00LXC076+MB1 | Nitrate by IC | 25 | 1.2 u | 25 | 98.5 | 1.0 |

INORGANICS PRECISION REPORT 12/15/00

CLIENT: TNUHANFORD B99-028 H1128

RECRA LOT #: 0011L194

| | | | INITIAL | | | DILUTION |
|---------|---------|-----------------|---------|-----------|-------|--------------|
| Sample | SITE ID | ANALYTE | RESULT | REPLICATE | RPD | FACTOR (REP) |
| | | *************** | | | | ******** |
| -001REP | B10NV6 | % Solids | 44,5 | 44.6 | 0.090 | 1.0 |
| | | Nitrate by IC | 20 | 19 | 7.0 | 1.0 |

| COLL | | | Custo | oay i FIELD PER | | | | | | | | | HE | equ | ies | T Pa | ige | 1 0 | if | | R | 7 | RE(Lab | CR. Ne |
|--|-------------|----------------|-------------------|--------------------|-------------|---------------|-----------|----------------|--|-------------------|--------------|-----------------|----------|--------------|------------------|--------------|-------------|----------|--------------------------------|-------------------------------|-----------------|---|------------------------------|--|
| | | | | | | | | Γ | | | Α, | B | | | · · · | | <u>C</u> ., | | ı | D | | - | | _ |
| Client | <u>nu-</u> | Hanford | 7 BOD | -028 | | | | Refrige | erator # | | 1 | 5 | _ | | | | 5 | LÝ) | <u> </u> | 5 | | $-\!\!\!\!+\!\!\!\!\!-$ | | |
| Est. Final Pro | j. Sam | pling Date | | | | | | #/Type | Container | Liquid | | <u> </u> | | | | | | 岩 | <u> </u> | | $\vdash \vdash$ | | | |
| Project # | 990 | 25°001-0 | (201-d | 999-66 | | | | | | Solid | 1PG | 186 | ļ | | | | lfG. | 2 | ļ.,_ | IPG. | | | $+\!-\!$ | ┼ |
| Project Conta | | _ • | | | | <u> </u> | | Volume | • | Liquid | _ | | ļ | | | | Ξ αν | 8 | ļ | - | | \longrightarrow | | ┿ |
| RECRA Proje | | ager (1) | | | | | | | | Solid | CSO | 550 | | | | - Tier | <u> </u> | <u> </u> | | 550 | ├ | | | |
| oc Spec | | Del Std | TAT . | <u> </u> | <u> 104</u> | . | | Preser | vatives | 1., | <u> </u> | OBG | ANIC | | | | | INC | DRG | - | | + | | ╀ |
| Date Rec'd | <u>.11-</u> | 8-00_ | Date Due | _12-8 | <u>~~</u> | | | ANALY REQUE | | - | 40V | T- | Pest | Į. G | | | | Metal | ठ | **: | | | | |
| MATRIX | | | | | | Met | irtx | | | | | | | 1 | | REC | RA L | abNe | t Use | Only | | 1 | | |
| CODES: S - Soll SE - Sediment SO - Solid SL - Studge | Leb ID | C | Client ID/Desc | ription | | Cha: | sen ') | Matrix | Data Collected | Time Collected | CLAPAX | CueSX | | | | | TTCCP | met | | ICno3 | | | | |
| W Water | ∞ 1 | BIONY | D | | | | | So | 11400 | 0850 | ./ | | | | | | , | | | / | | | | T |
| 1 1 | 500 | <u> </u> | 7 | | | | | 7 | 工 | 0915 | | | | | | | | | | | | | | 1 |
| | | BIONUL | a tor | N OF CO | 1 | | | L | * | - | <u> </u> | | | | | | | _ | | | | | | |
| Liquids | 25 | T - | 1 | 1 00 | _ | | | T | 1 | | | | | | | | " | / | | | | | *** | ╀ |
| L - EP/TCLP Leachate | | | <u> </u> | - - | - | | | | | | | | | | | | | <u> </u> | | | | _ | + | |
| WI - Wipe X - Other | | <u> </u> | | | | | | | | | | | | | | | | | - | | | | | |
| F - Fish | | | | | | | | | | | | | | | | | | | | | | | + | |
| | | | | - 11 - 11 - 11 | | | | | | | | | | | | | | | | ╌┤ | | -+- | | ├ |
| | | | | | | | | | | | | | | | | \dashv | | | | | | | | ├─ |
| | | | | | | | | | | | - | | | | | | | | | | | | | |
| Supplied to the state of | | C-05 36 | 20. 52 | 0 | | LL | ATE/F | REVISION | l | <u> </u> | | | | | | L | . 1 | | <u> </u> | <u> </u> | | | | <u> </u> |
| Special Instructi | ons; | a two | 44-0c | D D | | _ | K | Σ | 1. Sec. | Jabo | , hr | \sim | | | _ | •• · · · · · | | | | | IA LabNe | et Use On | • | |
| Run | , Υ | <i>Jatnix</i> | QC | | | 0 | Vet | (Ú : | 2.P5.B | a'c9'(| 1,7 2 | | c,A | કું.છ | \mathcal{G} ,a | c,Ni | - | 1) Ha | nd Deli | vered | | COC Tap 1) Prese Package 2) Unbro Package | nlon Ou | N |
| | | | | | | - | | • | 4 | | | | | | | | | 2) | Ambien | nt or Chi | #60 | | ni on Sar | mple |
| | | | | | | - | | ! | 5. | e <u>.</u> | | | | | | | | Co 4) | ndition ₍ Labels | Y or Indicate | N | 4) Unbroi Sample / | or راک) ken on الصراک) | |
| Relinquished by | | Received by | Date | Time | Reli | Inquist by | hed | | Received by | Dr | ete | Tim | •][| | | s Betwe | | | (| Preserve Y or ed Within | N | COC Rec Upon Sar | cord Pres | sent c't |
| FectEx | - | Report | വക്ത | 1015 | _ | :OM | 200 | TF. | | 731 |) IL. | A I | 71 | COC | Record | ?Y or | (N) | | lding Ti | mes | | Cooler | ひょ | N |
| | | 177 | | | | | STI | | | DEWI | AIN DIT | ie i | | MOTE MOTE | | 1953 | - 50: | ZLA | | (Y) Or | r y | Temp | 4 | С |
| | | | | | | | | | | 11011 | | TIE | ı — • | | | | | | | | | | | |

Page 1 of 1 **Bechtel Hanford Inc.** CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST B99-028-56 Telephone No. Collector Company Contact Project Coordinator Data Turnaround Price Code 9N T Pickett 373-4630 TRÉNT. SI Fahlberg 45 Days SAF No. Project Designation Sampling Location Air Quality 100 HR-3 R99-028 100-HR-3 Pump & Treat - Resin Sampling Field Logbook No. COA Method of Shipment Ice Chest No. EL 1517-L RIOHR3C570 Fed Ex Bill of Lading Air Bill No 53 - Ø369 Offsite Property No. Shipped To ADIODOL -TMA/RECRA POSSIBLE SAMPLE HAZARDS/REMARKS None None None Cool 4C HISTORICAL DATA INDUATES Preservation aG That Sumples are 12000pub аG аG **Type of Container** No. of Container(s) Special Handling and/or Storage 60mL 120mL 250mL 250mL 250mL 500mL Volume Tritium - H3 IC Anions Semi-VOA -See item (1) in See item (2) in \$270A (FCL) 300.0 (Nitrate) Special Special (Bis(2-SAMPLE ANALYSIS ethylhexyl) Sample No. Matrix * Sample Date Sample Time B10NV6 OTHER SOLID 1850 × × **B10NV7** OTHER SOUD 0915 X Matrix * CHAIN OF POSSESSION Sign/Print Mances SPECIAL INSTRUCTIONS ** Historical data indicates that samples are less than 2000 pCi total activity. Date/Time /3/1 Date/Time 13/5 S-Soil SE-Sediment . 6.00 (1) VOA - \$260A (TCL) [Chloroform, Methylenechloride]; VOA - \$260A (Add-On) SO-Solid Date/Time 6850 5 =Sludge (Trichloromonofluoromethane) W = Water (2) Metals by ICP (TCLP) - 1311/6010 (Arsenic, Barium, Cadmium, Chromium, Lead. Selenium. 11/07/00 O-Oil Silver); Metals by JCP (TCLP) Add-on - 1311/6010 (Antimony, Beryllium, Nickel) A-Air DS-Drum Solids DL - Drum Liquid: T=Tissuc Date/Time W(=Wipc L=Liquid

Relinquished By

Date/Time

Received By

Date/Time

Samples stored in Ref.# 2B at the 3728

Shipping Facility on 1/6/DD

Collector not available to relinquish samples on 1/7/OD for shipment..

Relinquished By

Date/Time

Received By

Date/Time

Title

LABORATORY SECTION Title Date/Time

V=Vegetation

X=Other

FINAL SAMPLE Disposed Method Disposed By Date/Time



DATE RECEIVED: 11/08/00 RFW LOT # :0011L194

| CLIENT ID /ANALYSIS | RFW # | MTX | PREP # | COLLECTION | EXTR/PREP | ANALYSIS |
|----------------------|---------|-----|------------|------------|-----------|----------|
| | | | | | | <u></u> |
| B10NV6 | | | | | | |
| BIONVO | | | | | | |
| TCLP | 001 | so | 00LT0141 | 11/06/00 | 12/14/00 | 12/15/00 |
| | | | | | • | . , |
| B10NV7 | | | | | | |
| TCLP | 002 | 50 | 001 001 41 | 11/06/00 | 12/14/00 | |
| ICEF | 002 | 50 | 00LTO141 | 11/06/00 | 12/14/00 | 12/15/00 |
| B10NV6 | | | | | | |
| | | | | | | |
| SILVER, TCLP LEACHAT | 003 | W | 99L1822 | 12/15/00 | 12/15/00 | 12/19/00 |
| SILVER, TCLP LEACHAT | 003 REP | W | 99L1822 | 12/15/00 | 12/15/00 | 12/19/00 |
| SILVER, TCLP LEACHAT | 003 MS | W | 99L1822 | 12/15/00 | 12/15/00 | 12/19/00 |
| ARSENIC, TCLP LEACHA | 003 | W | 99L1822 | 12/15/00 | 12/15/00 | 12/18/00 |
| ARSENIC, TCLP LEACHA | 003 REP | W | 99L1822 | 12/15/00 | 12/15/00 | 12/18/00 |
| ARSENIC, TCLP LEACHA | 003 MS | W | 99L1822 | 12/15/00 | 12/15/00 | 12/18/00 |
| BARIUM, TCLP LEACHAT | 003 | W | 99L1822 | 12/15/00 | 12/15/00 | 12/19/00 |
| BARIUM, TCLP LEACHAT | 003 REP | W | 99L1822 | 12/15/00 | 12/15/00 | 12/19/00 |
| BARIUM, TCLP LEACHAT | 003 MS | W | 99L1822 | 12/15/00 | 12/15/00 | 12/19/00 |
| BERYLLIUM, TCLP LEAC | 003 | W | 99L1822 | 12/15/00 | 12/15/00 | 12/19/00 |
| BERYLLIUM, TCLP LEAC | 003 REP | W | 99L1822 | 12/15/00 | 12/15/00 | 12/19/00 |
| BERYLLIUM, TCLP LEAC | 003 MS | W | 99L1822 | 12/15/00 | 12/15/00 | 12/19/00 |
| CADMIUM, TCLP LEACHA | 003 | W | 99L1822 | 12/15/00 | 12/15/00 | 12/18/00 |
| CADMIUM, TCLP LEACHA | 003 REP | W | 99L1822 | 12/15/00 | 12/15/00 | 12/18/00 |
| CADMIUM, TCLP LEACHA | 003 MS | W | 99L1822 | 12/15/00 | 12/15/00 | 12/18/00 |
| CHROMIUM, TCLP LEACH | 003 | W | 99L1822 | 12/15/00 | 12/15/00 | 12/18/00 |
| CHROMIUM, TCLP LEACH | 003 REP | W | 99L1822 | 12/15/00 | 12/15/00 | 12/18/00 |
| CHROMIUM, TCLP LEACH | 003 MS | W | 99L1822 | 12/15/00 | 12/15/00 | 12/18/00 |
| NICKEL, TCLP LEACHAT | 003 | W | 99L1822 | 12/15/00 | 12/15/00 | 12/19/00 |
| NICKEL, TCLP LEACHAT | 003 REP | W | 99L1822 | 12/15/00 | 12/15/00 | 12/19/00 |
| NICKEL, TCLP LEACHAT | 003 MS | W | 99L1822 | 12/15/00 | 12/15/00 | 12/19/00 |
| LEAD, TCLP LEACHATE | 003 | W | 99L1822 | 12/15/00 | 12/15/00 | 12/18/00 |
| LEAD, TCLP LEACHATE | 003 REP | W | 99L1822 | 12/15/00 | 12/15/00 | 12/18/00 |
| LEAD, TCLP LEACHATE | 003 MS | W | 99L1822 | 12/15/00 | 12/15/00 | 12/18/00 |
| ANTIMONY, TCLP LEACH | 003 | W | 99L1822 | 12/15/00 | 12/15/00 | 12/18/00 |
| ANTIMONY, TCLP LEACH | 003 REP | W | 99L1822 | 12/15/00 | 12/15/00 | 12/18/00 |
| ANTIMONY, TCLP LEACH | 003 MS | W | 99L1822 | 12/15/00 | 12/15/00 | 12/18/00 |
| | | | | | | ,, |

DATE RECEIVED: 11/08/00 RFW LOT # :0011L194

| CLIENT ID /ANALYSIS | RFW # | MTX | PREP # | COLLECTION | EXTR/PREP | ANALYSIS |
|----------------------|---------------------------------------|-----|---------|------------|-----------|----------|
| | · · · · · · · · · · · · · · · · · · · | | | | | |
| SELENIUM, TCLP LEACH | 003 | W | 99L1822 | 12/15/00 | 12/15/00 | 12/18/00 |
| SELENIUM, TCLP LEACH | 003 REP | W | 99L1822 | 12/15/00 | 12/15/00 | 12/18/00 |
| SELENIUM, TCLP LEACH | 003 MS | W | 99L1822 | 12/15/00 | 12/15/00 | 12/18/00 |
| B10NV7 | | | | | | |
| SILVER, TCLP LEACHAT | 004 | W | 99L1822 | 12/15/00 | 12/15/00 | 12/19/00 |
| ARSENIC, TCLP LEACHA | 004 | W | 99L1822 | 12/15/00 | 12/15/00 | 12/18/00 |
| BARIUM, TCLP LEACHAT | 004 | W | 99L1822 | 12/15/00 | 12/15/00 | 12/19/00 |
| BERYLLIUM, TCLP LEAC | 004 | W | 99L1822 | 12/15/00 | 12/15/00 | 12/19/00 |
| CADMIUM, TCLP LEACHA | 004 | W | 99L1822 | 12/15/00 | 12/15/00 | 12/18/00 |
| CHROMIUM, TCLP LEACH | 004 | W | 99L1822 | 12/15/00 | 12/15/00 | 12/18/00 |
| NICKEL, TCLP LEACHAT | 004 | W | 99L1822 | 12/15/00 | 12/15/00 | 12/19/00 |
| LEAD, TCLP LEACHATE | 004 | W | 99L1822 | 12/15/00 | 12/15/00 | 12/18/00 |
| ANTIMONY, TCLP LEACH | 004 | W | 99L1822 | 12/15/00 | 12/15/00 | 12/18/00 |
| SELENIUM, TCLP LEACH | 004 | M | 99L1822 | 12/15/00 | 12/15/00 | 12/18/00 |

LAB QC:

| SILVER LABORATORY | LC1 BS | W | 99L1822 | N/A | 12/15/00 | 12/19/00 |
|----------------------|--------|---|---------|-----|----------|----------|
| SILVER, TCLP LEACHAT | MB1 | W | 99L1822 | N/A | 12/15/00 | 12/19/00 |
| SILVER, TCLP LEACHAT | MB2 | W | 99L1822 | N/A | 12/15/00 | 12/19/00 |
| ARSENIC LABORATORY | LC1 BS | W | 99L1822 | N/A | 12/15/00 | 12/18/00 |
| ARSENIC, TCLP LEACHA | MB1 | W | 99L1822 | N/A | 12/15/00 | 12/18/00 |
| ARSENIC, TCLP LEACHA | MB2 | W | 99L1822 | N/A | 12/15/00 | 12/18/00 |
| BARIUM LABORATORY | LC1 BS | W | 99L1822 | N/A | 12/15/00 | 12/19/00 |
| BARIUM, TCLP LEACHAT | MB1 | W | 99L1822 | N/A | 12/15/00 | 12/19/00 |
| BARIUM, TCLP LEACHAT | MB2 | W | 99L1822 | N/A | 12/15/00 | 12/19/00 |
| BERYLLIUM LABORATORY | LC1 BS | W | 99L1822 | N/A | 12/15/00 | 12/19/00 |
| BERYLLIUM, TCLP LEAC | MB1 | W | 99L1822 | A/N | 12/15/00 | 12/19/00 |
| BERYLLIUM, TCLP LEAC | MB2 | W | 99L1822 | N/A | 12/15/00 | 12/19/00 |
| CADMIUM LABORATORY | LC1 BS | W | 99L1822 | N/A | 12/15/00 | 12/18/00 |
| CADMIUM, TCLP LEACHA | MB1 | W | 99L1822 | N/A | 12/15/00 | 12/18/00 |
| CADMIUM, TCLP LEACHA | MB2 | W | 99L1822 | N/A | 12/15/00 | 12/18/00 |
| CHROMIUM LABORATORY | LC1 BS | W | 99L1822 | N/A | 12/15/00 | 12/18/00 |
| CHROMIUM, TCLP LEACH | MB1 | W | 99L1822 | N/A | 12/15/00 | 12/18/00 |
| CHROMIUM, TCLP LEACH | MB2 | W | 99L1822 | N/A | 12/15/00 | 12/18/00 |
| NICKEL LABORATORY | LC1 BS | M | 99L1822 | N/A | 12/15/00 | 12/19/00 |
| | | | | | | |

DATE RECEIVED: 11/08/00 RFW LOT # :0011L194

| CLIENT ID /ANALYSIS | RFW # | MTX | PREP # | COLLECTION | EXTR/PREP | ANALYSIS |
|----------------------|--------|-----|-------------|------------|-----------|-------------|
| | | | | | | |
| NICKEL, TCLP LEACHAT | MB1 | W | 99L1822 | N/A | 12/15/00 | 12/19/00 |
| NICKEL, TCLP LEACHAT | MB2 | W | 99L1822 | N/A | 12/15/00 | 12/19/00 |
| LEAD LABORATORY | LC1 BS | W | 99L1822 | N/A | 12/15/00 | 12/18/00 |
| LEAD, TCLP LEACHATE | MB1 | W | 99L1822 | N/A | 12/15/00 | 12/18/00 |
| LEAD, TCLP LEACHATE | MB2 | W | 99L1822 | N/A | 12/15/00 | 12/18/00 |
| ANTIMONY LABORATORY | LC1 BS | W | 99L1822 | N/A | 12/15/00 | 12/18/00 |
| ANTIMONY, TCLP LEACH | MB1 | W | 99L1822 | N/A | 12/15/00 | 12/18/00 |
| ANTIMONY, TCLP LEACH | MB2 | W | 99L1822 | N/A | 12/15/00 | 12/18/00 |
| SELENIUM LABORATORY | LC1 BS | W | 99L1822 | N/A | 12/15/00 | 12/18/00 |
| SELENIUM, TCLP LEACH | MB1 | W | 99L1822 | N/A | 12/15/00 | 12/18/00 |
| SELENIUM, TCLP LEACH | MB2 | W | 99L1822 | N/A | 12/15/00 | 12/18/00 |



Chemical and Environmental Measurement Information

Recra LabNet Philadelphia Analytical Report

Client: TNU-HANFORD B99-028

W.O.#: 10985-001-001-9999-00

RFW#: 0011L194

Date Received: 11-08-00

SDG/SAF#: H1128/B99-028

METALS CASE NARRATIVE

1. This narrative covers the analyses of 2 TCLP leachate samples.

- 2. The samples were prepared and analyzed in accordance with methods checked on the attached glossary.
- 3. All analyses were performed within the required holding times.
- 4. The cooler temperature has been recorded on the Chain of Custody.
- 5. All Initial and Continuing Calibration Verifications (ICV/CCVs) were within the 90-110% control limits (80-120% for Mercury). The CCVs for Silver, Barium, Beryllium, and Nickel were outside control limits in file PS1218D. All samples were rerun and reported for Silver, Barium, Beryllium, and Nickel from file PS1219A.
- 6. All Initial and Continuing Calibration Blanks (ICB/CCBs) were within control limits (less than the POL).
- 7. All preparation/method blanks (MB) were within method criteria {less than the Practical Quantitation Limit (3X the IDL), MB value less than 5% of the RCRA limit, or samples greater than 20X MB value}. Refer to the Inorganics Method Blank Data Summary.
- 8. All ICP Interference Check Standards were within control limits.
- 9. All laboratory control samples (LCS) were within the 80-120% control limits. Refer to form 7.
- 10. All duplicate analyses were within the 20% Relative Percent Difference (RPD) control limits. Refer to the Inorganics Precision Report.
- 11. The TCLP extract from sample B10NV6 was selected for the matrix spike (MS) for this analytical batch. All MS recoveries were greater than 50% as per method criteria.

The results presented in this report relate only to the analytical testing and conditions of the samples at receipt and during storage. All pages of this report are integral parts of the analytical data. Therefore, this report should only be reproduced in its entirety of pages.

- 12. For the purposes of this report, the data has been reported to the Instrument Detection Limit (IDL). Values between the IDL and the Practical Quantitation Limit (PQL) are acquired in a region of less-certain quantification.
- 13. I certify that this sample data package is in compliance with SOW requirements, both technically and for completeness, other than the conditions detailed above. Release of the data contained in this hard-copy data package has been authorized by the Laboratory Manager or a designee, as verified by the following signature.

J. Michael Taylor
VP, Laboratory General Manager
Lionville Laboratory

gmb/m11-194

12-27-00

Date

METALS METHOD GLOSSARY

| | ods are used as referenc | e for the digestion a | nd analysis of | samples conta | lined within this |
|---------------------|--|-----------------------|----------------|---------------|-------------------|
| | : _1310 <u>/</u> 1311 _131 | 2Other: | | | |
| CLP Metals Dige | stion and Analysis M | ethods:ILM03.0 | | | |
| Metals Digestion Me | ethods:3005A /_301 Other: | 0A30153020 | OA3050B | 3051200 | 0.7 _SS17 |
| | Me | etals Analysis Met | thods | | |
| | | | | EPA | |
| | SW846 | EPA | STD MTD | OSWR | USATHAMA |
| Aluminum | 6010B | 200.7 | | | 99 |
| Antimony | Z6010B 7041 5 | 200.7 204.2 | | | 99 |
| Arsenic | / 6010B 7060A 5 | 200.7 206.2 | 3113B | | 99 |
| Barium | 76010B | 200.7 | _ | | 99 |
| Beryllium | フ6010B | <u></u> | | | 99 |
| Bismuth | 6010B ¹ | 200.7 ¹ | | 1620 | 99 |
| Boron | 6010 B | 200.7 | | | 99 |
| Cadmium | $\sqrt{2}6010B - 7131A^{4}$ | 200.7213.2 | • | | 99 |
| Calcium | 6010B | 200.7 | | | 99 |
| Chromium | ∠6010B7191 ° | 200.7218.2 | | | SS17 |
| Cobalt | 6010B | 200.7 | | | 99 |
| Copper | 6010B7211 ⁵ | 200.7220.2 | | | 99 |
| lron | 6010 B | 200.7 | | | 99 |
| Lead | ∠ 6010B <u></u> 7421 ^s | 200.7239.2 | 3113B | | 99 |
| Lithium | _6010B7430 ⁴ | 200.7 | | 1620 | <u>_</u> 99 |
| Magnesium | 6010B | 200.7 | | | 99 |
| Manganese | 6010B | 200.7 | | | 99 |
| Mercury | 7470A ³ 7471A ³ | | | | <u>_99</u> |
| Molybdenum | 6010B | 200.7 | | | _ 99 |
| Nickel | <u>√</u> 6010B | 200.7 | | | 99 |
| Potassium | _6010B _76104 | 200.7258.1 4 | | | 99 |
| Rare Earths | _6010B ¹ | 200.7 ' | | 1620 | 99 |
| Selenium | <u>√6010B</u> _7740 ^s | 200.7270.2 | 3113B | | 99 |
| Silicon | 6010B ¹ | 200.7 | | 1620 | 99 |
| Silica | 6010B | 200.7 | | 1620 | 99 |
| Silver | ∠6010B _ 7761 ⁸ | 200.7272.2 | | | 99 |
| Sodium | _6010B7770 ⁴ | 200.7273.1 4 | | | 99 |
| Strontium | 6010B | 200.7 | 0000 | , | 99 |
| Thallium | _6010B _7841 ⁵ | 200.7279.2_ | _200.9 | | 99 |
| Tin | _6010B | 200.7 | | | 99 |
| Titanium | 6010B | 200.7 | | 4.400 | 99 |
| Uranium | _6010B ¹ | 200.7 1 | | 1620 | 99 |
| Vanadium | 6010B | 200.7 | | | 99 |
| Zinc | 6010B | 200.7 | | | 99 |
| Zirconium | 6010B ¹ | 200.7 1 | | 1620 | 99 |
| Other: | <u>Meth</u> | nod: | | | 06 |

L-WI-033/M-11/99

METHOD REFERENCES AND DATA QUALIFIERS

DATA QUALIFIERS

- U = Indicates that the parameter was not detected at or above the reported limit. The associated numerical value is the sample detection limit.
- * = Indicates that the original sample result is greater than 4x the spike amount added.

ABBREVIATIONS

MB = Method or Preparation Blank.

MS = Matrix Spike.

MSD = Matrix Spike Duplicate.

REP = Sample Replicate

LCS = Laboratory Control Sample.

NC = Not calculated.

ANALYTICAL METAL METHODS

- 1. Not included in the method element list.
- 2. Modified Hg: Hg1 and Hg2 require less total volume of digestate due to the autosampler analysis. Sample volumes and reagents for mercury determinations in water and soil have been proportionately scaled down to adapt to this semi-automated technique. The sample volume used for water analysis is 33 mL. For soils, 0.1 grams of sample is taken to a final volume of 50 mL (including all reagents).
- 3. Modified Hg: Hg1 and Hg2 require less total volume of digestate due to the autosampler analysis. Sample volumes and reagents for mercury determinations in water and soil have been proportionately scaled down to adapt to this semi-automated technique. The sample volume used for water analysis is 33 mL. For soils, three 0.1 gram of sample is taken to a final volume of 50 mL (including all reagents).
- 4. Flame AA.
- 5. Graphite Furnace AA.

RFW 21-21L-033/N-10/96

INORGANICS DATA SUMMARY REPORT 12/26/00

CLIENT: TNUHANFORD B99-028 H1128 . RECRA LOT #: 0011L194

| | | | | | REPORTING | DILUTION |
|--------|---------|--------------------------|--------|-------|-----------|----------|
| SAMPLE | SITE ID | ANALYTE | RESULT | UNITS | LIMIT | FACTOR |
| ====== | | ************** | ****** | | | ****** |
| -003 | B10NV6 | Silver, TCLP Leachate | 2.5 u | UG/L | 2.5 | 1.0 |
| | | Arsenic, TCLP Leachate | 35.9 | UG/L | 33.9 | 1.0 |
| | | Barium, TCLP Leachate | 19.1 | UG/L | 3.0 | 1.0 |
| | | Beryllium, TCLP Leachate | 0.60 u | UG/L | 0.60 | 1.0 |
| | | Cadmium, TCLP Leachate | 3.4 u | UG/L | 3.4 | 1.0 |
| | | Chromium, TCLP Leachate | 2500 | UG/L | 4.9 | 1.0 |
| | | Nickel, TCLP Leachate | 12.5 u | UG/L | 12.5 | 1.0 |
| | | Lead, TCLP Leachate | 25.0 u | UG/L | 25.0 | 1.0 |
| | | Antimony, TCLP Leachate | 17.0 u | UG/L | 17.0 | 1.0 |
| | | Selenium, TCLP Leachate | 62.3 u | UG/L | 62.3 | 1.0 |
| -004 | B10NV7 | Silver, TCLP Leachate | 2.5 u | UG/L | 2.5 | 1.0 |
| | | Arsenic, TCLP Leachate | 34.8 | UG/L | 33.9 | 1.0 |
| | | Barium, TCLP Leachate | 14.5 | UG/L | 3.0 | 1.0 |
| | | Beryllium, TCLP Leachate | 0.60 u | UG/L | 0.60 | 1.0 |
| • | | Cadmium, TCLP Leachate | 3.4 u | UG/L | 3.4 | 1.0 |
| | | Chromium, TCLP Leachate | 2080 | UG/L | 4.9 | 1.0 |
| | | Nickel, TCLP Leachate | 12.5 u | UG/L | 12.5 | 1.0 |
| | | Lead, TCLP Leachate | 25.0 u | UG/L | 25.0 | 1.0 |
| | | Antimony, TCLP Leachate | 17.0 u | UG/L | 17.0 | 1.0 |
| | | Selenium, TCLP Leachate | 62.3 u | UG/L | 62.3 | 1.0 |

INORGANICS METHOD BLANK DATA SUMMARY PAGE 12/26/00

CLIENT: TNUHANFORD B99-028 H1128 . RECRA LOT #: 0011L194

| | | | | | REPORTING | DILUTION |
|---------|----------------|--------------------------|---------------|-------|-----------|----------|
| SAMPLE | SITE ID | ANALYTE | RBSULT | UNITS | LIMIT | FACTOR |
| ***** | ************** | 医医耳及坏坏 医医医皮皮 有医医医皮肤 有事 | ****** | ***** | **** | ******* |
| BLANK1 | 99L1822-MB1 | Silver, TCLP Leachate | 2.5 u | UG/L | 2.5 | 1.0 |
| | | Arsenic, TCLP Leachate | 33.9 u | UG/L | 33.9 | 1.0 |
| | | Barium, TCLP Leachate | 3.0 u | UG/L | 3.0 | 1.0 |
| | | Beryllium, TCLP Leachate | 0.60 u | UG/L | 0.60 | 1.0 |
| | | Cadmium, TCLP Leachate | 3.4 u | UG/L | 3.4 | 1.0 |
| | | Chromium, TCLP Leachate | 4.9 u | UG/L | 4.9 | 1.0 |
| | | Nickel, TCLP Leachate | 12.5 u | UG/L | 12.5 | 1.0 |
| | | Lead, TCLP Leachate | 25.0 u | UG/L | 25.0 | 1.0 |
| | | Antimony, TCLP Leachate | 17.0 u | UG/L | 17.0 | 1.0 |
| | | Selenium, TCLP Leachate | 62.3 u | UG/L | 62.3 | 1.0 |
| B LANK2 | 99L1B22~MB2 | Silver, TCLP Leachate | 2.5 u | UG/L | 2.5 | 1.0 |
| | | Arsenic, TCLP Leachate | 33.9 u | UG/L | 33.9 | 1.0 |
| | | Barium, TCLP Leachate | 42.4 | UG/L | 3.0 | 1.0 |
| | | Beryllium, TCLP Leachate | 0.60 u | UG/L | 0.60 | 1.0 |
| | | Cadmium, TCLP Leachate | 3.4 u | UG/L | 3.4 | 1.0 |
| | , | Chromium, TCLP Leachate | 4.9 u | UG/L | 4.9 | 1.0 |
| | | Nickel, TCLP Leachate | 12.5 u | UG/L | 12.5 | 1.0 |
| | | Lead, TCLP Leachate | 25.0 u | UG/L | 25.0 | 1.0 |
| | | Antimony, TCLP Leachate | 17.0 u | UG/L | 17.0 | 1.0 |
| | | Selenium, TCLP Leachate | 62.3 u | UG/L | 62.3 | 1.0 |

INORGANICS ACCURACY REPORT 12/26/00

CLIENT: TNUHANFORD B99-028 H1128 . RECRA LOT #: 0011L194

| | | | SPIKED | INITIAL | SPIKED | | DILUTION |
|--------|---------|------------------------|--------|---------|--------|--------|--------------|
| SAMPLE | SITE ID | ANALYTE | SAMPLE | RESULT | AMOUNT | *RECOV | FACTOR (SPK) |
| **** | | | | ***** | | ***** | ******** |
| -003 | B10NV6 | Silver, TCLP Leachate | 3750 | 2.5 u | 5000 | 75.1 | 1.0 |
| | | Arsenic, TCLP Leachate | 5080 | 35.9 | 5000 | 100.9 | 1.0 |
| | | Barium, TCLP Leachate | 99100 | 19.1 | 100000 | 99.1 | 1.0 |
| | | Beryllium, TCLP Leacha | 900 | 0.60u | 1000 | 90.0 | 1.0 |
| | | Cadmium, TCLP Leachate | 969 | 3.4 u | 1000 | 96.9 | 1.0 |
| | | Chromium, TCLP Leachat | 6990 | 2500 | 5000 | 89.9 | 1.0 |
| | | Nickel, TCLP Leachate | 932 | 12.5 u | 1000 | 93.2 | 1.0 |
| | | Lead, TCLP Leachate | 5130 | 25.0 u | 5000 | 102.7 | 1.0 |
| | | Antimony, TCLP Leachat | 660 | 17.0 u | 1000 | 66.0 | 1.0 |
| | | Selenium, TCLP Leachat | 1010 | 62.3 u | 1000 | 100.8 | 1.0 |

Recra LabNet - Lionville

INORGANICS PRECISION REPORT 12/26/00

CLIENT: TNUHANFORD B99-028 H1128 . RECRA LOT #: 0011L194

WORK ORDER: 10985-001-001-9999-00

| | | | INITIAL | | | DILUTION |
|---------|------------------|-------------------------|---------|-----------|-------|--------------|
| SAMPLE | SITE ID | ANALYTE | RESULT | REPLICATE | RPD | FACTOR (REP) |
| | **************** | | | ******** | ***** | ******** |
| -003REP | B10NV6 | Silver, TCLP Leachate | 2.5 u | 2.5 u | NC | 1.0 |
| | | Arsenic, TCLP Leachate | 35.9 | 40.6 | 12.3 | 1.0 |
| | | Barium, TCLP Leachate | 19.1 | 18.8 | 1.6 | 1.0 |
| | | Beryllium TCLP Leachate | 0.60u | 0.60u | NC | 1.0 |
| | | Cadmium, TCLP Leachate | 3.4 u | 3.4 u | NC | 1.0 |
| | | Chromium, TCLP Leachate | 2500 | 2330 | 6.9 | 1.0 |
| | | Nickel, Leachate | 12.5 u | 12.5 u | NC | 1.0 |
| | | Lead, TCLP Leachate | 25.0 u | 25.0 u | NC | 1.0 |
| | | Antimony, Leachate | 17.0 u | 17.0 u | NC | 1.0 |
| | | Selenium, TCLP Leachate | 62.3 u | 62.3 u | ИС | 1.0 |

Recra LabNet - Lionville

INORGANICS LABORATORY CONTROL STANDARDS REPORT 12/26/00

CLIENT: TNUHANFORD B99-028 H1128 . RECRA LOT #: 0011L194

WORK ORDER: 10985-001-001-9999-00

| | | SPIKED | SPIKED | | |
|------------------|--|--------|--------|-------|--------|
| SAMPLE SITE ID | ANALYTE | SAMPLE | AMOUNT | UNITS | *RECOV |
| | 2Dx 22x22x2x2x2x4x4x4x4x4x4x4x4x4x4x4x4x4x | | | **** | . **** |
| LCS1 99L1822-LC1 | Silver, LCS | 492 | 500 | UG/L | 98.5 |
| | Arsenic, LCS | 9380 | 10000 | UG/L | 93.8 |
| | Barium, LCS | 4950 | 5000 | UG/L | 99.0 |
| | Beryllium, LCS | 245 | 250 | UG/L | 98.1 |
| | Cadmium, LCS | 238 | 250 | UG/L | 95.2 |
| | Chromium, LCS | 476 | 500 | UG/L | 95.2 |
| | Nickel, LCS | 2010 | 2000 | UG/L | 100.7 |
| | Lead, LCS | 2380 | 2500 | UG/L | 95.4 |
| | Antimony, LCS | 2850 | 3000 | UG/L | 94.9 |
| | Selenium, LCS | 9380 | 10000 | UG/L | 93.8 |

| RECRA Lab | | | Custo | Ody T | | | | | | | | Re | equ | es | t Pa | ige . | _1 . c | of <u>1</u> | - - | | | RE(Lab | CR. Ne |
|---|----------------------------------|---------------|------------------|-------------------|-------------|---------------------------------------|----------------|-------------------|---------------------|--|-------------------|--------------------|---------------------------------------|-------------------|------------------|---------------|--|--|-----------------|--|---|--|---|
| | ···· | | | | | | • | | | A. | \mathcal{B}_{-} | | · · · · · · · · · · · · · · · · · · · | | | <u>C</u> | | | <u> </u> | | <u> </u> | | |
| Client | ju- | Hanfoa | 2 B99. | <u></u> | | | Refrige | rator # | | 1 | 5 | | | | | 5 | \ | II | 5 | | | | ┿ |
| Est. Final Pro | j. Samı | oling Date | | | | | - #/Type | Container | Liquid | ļ | ļ | igwdown | | | | | ポ | - | <u> </u> | <u> </u> | | | |
| Project # | 920 | <u>5.001-</u> | 001-de | 199-co | | · · · · · · · · · · · · · · · · · · · | - | | Solid | 1PCz | 186 | | | | ! | lfG• | ユ | | JPG- | _ | | | - |
| Project Conta | | _ • | | | | | - Volume | • | Liquid | | | | | | | <u>5</u> 00 | 12 | ↓ — | - | 1 | | | +- |
| RECRA Proje | | | | | • | | | vatives | Solid | 650 | 550 | | | | 1180 | <u>.</u> ₹ | 7 | | 250 | 1 | | | - |
| oc Spec | | Del STO | | | | | Preser | 780743 | | | ORG | ANIC | <u> </u> | \longrightarrow | | | INC | ORG | - | | | | + |
| Date Rec'd | 11- | 8-00_ | Date Due | _18-8 | <u>~~~~</u> | • | ANALY REQUE | | - | δ | | Pest/ PCB | Her | | | | Metal | टु | , | | | | - |
| Account # | | | | | | | ┽── | 1 | | | | ш. | 1 | | REC | RA L | | t Use | Only | <u>. </u> | 1 | | |
| MATRIX CODES: S - Soli SE - Sediment SO - Solid | Leb 10 | : | Client IO/Desc | ription | | Matrix QC Chosen (*) | Matrix | Date Collected | Time i Collected | CAPHX | Cares K | | | | T | TTCCP | met© | | TCros | | Ī | | |
| SL - Sludge W - Water | 001 | BIONV | | | | | 80 | Wass | 0850 | | 1 | | | | | | | | | | | | 1 |
| A - Air | COS COT | DIOTIV | ٦ | | | | I | 11 | 0915 | , | | | | | | | | | | | | | † |
| DS - Drum Şolids | | BIODY | - ton | ~2~ | \ \ \ | | L | * | - | | | | | | | | _ | | | | | | |
| DL - Drum Liquids | | וארוטום | - 164 | | - 1 | | 11 | 1 | - | | | | | | | | / | | | | | 4 6 | 1 |
| L - EP/TCLP Leachate | ΩН | <u>+</u> | _15 | <u>- (()</u> | | | | | 1 | <u> </u> | | | | | | | | • | | | | | 1 |
| WI - Wipe X - Other | | | · | | | | | | <u> </u> | | | | | | | 一 | | | | | | | 十 |
| F - Fish | | | | | | | | 1 | | | | | | | | | | | | - | | | |
| | | | | | | +- | | | <u> </u> | | | | | | | | | | | | | _ | - |
| | | | | | | | 1 | <u> </u> | <u> </u> | | | | | | | | | | | | | | + |
| | | | | | | \dashv | | | | | | | | | \dashv | | | ╁ | | | | | \vdash |
| Secolal Instruct | | 5 5 <u>5</u> | 50.00 | 0 | | DATI | E/REVISIOI | NS: | _ \ | <u> </u> | | | l_ | | | B | | <u> </u> | REÇ | RA Lab | Net Use (| Only | <u></u> |
| Special Instruct | <u>'</u> ' Λ | Received | QC Date | Time | Refir | We | 4()_ | Z.cAs.2 | 1.0b(1.65,e | _r, <u>_</u> f | 2,d£ | , Р _х | Discre | pancie | s Betwe | en | 1) Ha Aii 2) 3) Co 4) Pro | and Del ribili # :. Ambier Receivendition Labels operly I | ivered in G | illed) ood N ood N | f) Pre Packa 2) Unt Packa 3) Pre 4) Unb Sample COC F | seni on Oc ge (Y) or seni on Sa (Y) or roken on e (Y) or lecord Pres | N Outer N Imple N N sent |
| by . C | | by | | | - | | | oy . | | | | - | COCF | Record* | els and ?Y or | (N) | | olding T | ed With imes | | Conter | (Y) or | N |
| Factor | JEC TRAPPEL 1180 1US COMP WAS | | | | OMPO WAS | etd T | | | GINAL DITTEN | | | NOTES: 4235 795303 | | | | (Y) or N Temp | | | ~ | С | | | |

WILLIT

| - Bechtel Hanford Inc. | CHAIN OF CUST | ODY/SA | MPLE | ANALYSI | IS I | REQUEST | | B99 | -028-56 | Page <u>1</u> | of <u>1</u> |
|--|--------------------------------|----------------------|--------------------------|--|-------------------------|--|--|--|---|---------------------------------------|---|
| Collector Fahlberg | Company Contact T Pickett | Telephone 373-463 | | | | Project Coordin FRENT, SJ | ator P | rice Code | 9N | Data Tur | naround |
| Project Designation 100-HR-3 Pump & Treat - Resin Sampling | Sampling Location 100 HR-3 | | | | | SAF No. B99-028 | A | ir Quality | | 45 I | Days |
| Ice Chest No. GWS 142 (10f1) | Field Logbook No. EL 1517-1 | | COA R10HR3C | 570 | \perp | Nethod of Ships Fed Ex | | <u>.</u> | | · · · · · · · · · · · · · · · · · · · | <u> </u> |
| Shipped To R + 1/6/00 | Offsite Property No. | 0109 | 004 | g 7 - | | Bill of Lading/ | S TV | 353- | 031 | ρØ | |
| POSSIBLE SAMPLE HAZARDS/REMARKS HISTORICAL DIATA INDICA: | Preservation | None | None | None | None | Cool 4C | Cool 4C | P. | None | | |
| That Samples are 1000 | Type of Container | •6 | ≇G | aG / | G | aG | aG | G/P | ∌G | | 1 |
| Special Handling and/or Storage | No. of Container(s) | l 60mL | . I 60mL | XXXX | i 20m1 | l 250mL | 1 250mL | 1 250mL | 500mL | | |
| SAMPLE ANALYSIS | | Isotopic Uranium | Strong Total | Aschmetium-99 Trid | tium - | H3 Semi-VOA - E270A (TCL) {Bis(2- ethylhexyl) phthalate} | See item (1) i Special Instructions. | is IC Anions - 300.0 (Nitrate) | See item (2) in Special Instructions. | | |
| Sample No. Matrix * Sam | ple Date Sample Time | | | | | | 建筑建筑 | | 1 | | C |
| B10NV6 OTHER SOLID 11/2 | 100 0850 | | | | | X | × | × | × | | |
| B10NV7 OTHER SOLID | 100 0915 | | | | | x | Х | K | × | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| CHAIN OF POSSESSION | Sen Pring Dunes | | | CIAL INSTRUC | | | .1 2000 | 7° | | | Matrix * |
| Relinquished By R. fehlbar R. fehl 11/6 00 R. fehlbar R. feh | R.Thoren | ate/Time 131 | (I) V {Trick (2) N | listorical data indicat /OA - 8260A (TCL) hloromonofluorome detals by ICP (TCLI r); Metals by ICP (T | (Chi thane P) - I | loroform, Methylen } 311/6010 {Arsenic, | echloride); Barium, Ca | VOA - 8260A (. | Add-On) ium, Lead, Selo | mium. | S=Soft SE=Sediment SO=Solid S=Sludge W = Water O=Oil A=Ain DS=Drust Solids DL=Drust Liquids |
| Relinquished By Date/Time Recei | red By Page 11800 | ate/Time | | Shipping Fac Collector not | cility t ava | n Ref.# 2B a on 11/6 hilable to reline Ofor shipmen | / <u>///</u> Q. Quish san | suples 21 | 7 | | T=Tissue WI=Wipe L=Liquid V=Vegetation X=Other |
| LABORATORY Received By SECTION | | Titl | e | | | | | प्रा | | hate/Time | |
| FINAL SAMPLE Disposal Method DISPOSITION | | • | | Disposed E | Ву | | | | 1 | Date/Time | <u> </u> |

Recra LabNet - Lionville Laboratory BNA ANALYTICAL DATA PACKAGE FOR TNUHANFORD B99-028 H1128

| CLIENT ID | RFW | # | | MTX | PREP # | COLLECTION | EXTR/PREP | ANALYSI |
|-----------|-----|-----|----|-----|----------|------------|-----------|---------|
| B10NV6 | 001 | | | so | 00LE1457 | 11/06/00 | 11/09/00 | 11/27/0 |
| B10NV6 | 001 | • | R1 | so | 00LE1587 | 11/06/00 | 12/05/00 | 12/14/0 |
| B10NV6 | 001 | MS | | so | 00LE1457 | 11/06/00 | 11/09/00 | 11/27/0 |
| B10NV6 | 001 | MSD | | SO | 00LE1457 | 11/06/00 | 11/09/00 | 11/27/0 |
| B10NV7 | 002 | | | so | 00LE1457 | 11/06/00 | 11/09/00 | 11/27/0 |
| B10NV7 | 002 | | R1 | so | 00LE1587 | 11/06/00 | 12/05/00 | 12/14/0 |
| B10NV7 | 002 | MS | R1 | so | 00LE1587 | 11/06/00 | 12/05/00 | 12/14/0 |
| B10NV7 | 002 | MSD | R1 | SO | 00LE1587 | 11/06/00 | 12/05/00 | 12/15/0 |
| AB QC: | | | | | | | | |
| SBLKGH | MB1 | | | s | 00LE1457 | N/A | 11/09/00 | 11/26/0 |
| SBLKGH | MB1 | BS | | S | 00LE1457 | N/A | 11/09/00 | 11/26/0 |
| SBLKJP | MB1 | | | S | 00LE1587 | N/A | 12/05/00 | 12/13/0 |
| SBLKJP | MB1 | BS | | S | 00LE1587 | N/A | 12/05/00 | 12/13/ |



Chemical and Environmental Measurement Recra LabNet Philadelphia
Analytical Report

Client: TNU-HANFORD B99-028

RFW #: 0011L194

SDG/SAF #: H1128/B99-028

W.O. #: 10985-001-001-9999-00

Date Received: 11-08-2000

SEMIVOLATILE

Two (2) solid samples were collected on 11-06-2000.

The samples and their associated QC samples were extracted on 11-09-2000, re-extracted on 12-05-2000 and analyzed according to criteria set forth in Recra OPs based on SW 846 Method 8270C for TCL Semivolatile target compound Bis(2-Ethylhexyl)phthalate on 11-26,27-2000 and 12-13,14,15-2000.

The following is a summary of the QC results accompanying the sample results and a description of any problems encountered during their analyses:

- 1. The cooler temperature upon receipt has been recorded on the chain-of-custody.
- 2. The samples were initially extracted and analyzed within required holding times; however, both samples were re-extracted outside holding time to confirm the level of Bis (2-Ethylhexyl) phthalate. A copy of the Sample Discrepancy Report (SDR) has been enclosed.
- 3. The re-extracted analyses were spiked with base/neutral surrogate at 75ug instead of the specified 50ug. A copy of the Sample Discrepancy Report (SDR) has been enclosed.
- 4. One (1) of thirty-six (36) surrogate recoveries was outside acceptance criteria. However, EPA CLP surrogate recovery criteria were met (i.e., no more than one outlier per fraction {acid and base neutral} and no recoveries less than 10%).
- 5. All base/neutral blank spike recoveries were within EPA QC limits.
- 6. Two (2) of twelve (12) base/neutral matrix spike recoveries was outside EPA QC limits. A copy of the Sample Discrepancy Report (SDR) has been enclosed.
 - The target compound is not included in the spiking solution. (CLP spike recoveries have been reported on the Form 3.)
- 7. The method blanks contained the common laboratory contaminant Bis(2-Ethylhexyl)phthalate at levels less than 3x the CRQL; however, all associated analyses yielded levels of Bis(2-Ethylhexyl)phthalate at levels less than the CRQL.
- 8. Internal standard area criteria were not met for samples B10NV7, B10NV7 MSD RE. The GC/MS instrument was inspected for possible malfunction and was judged to be functioning properly and all surrogate recoveries were within QC limits; consequently, the sample was not reanalyzed.
- 9. "I certify that this sample data package is in compliance with SOW requirements, both technically and for completeness, other than the conditions detailed above. Release of the data contained in this hard-copy data package has been authorized by the Laboratory Manager or a designee, as verified by the following signature."

J. Michael Taylor

V.P./Laboratory General Manager

Lionville Laboratory

som\group\data\bna\tnu-hanford-11-194.doc

The results presented in this report relate only to the analytical testing and conditions of the samples at receipt and during storage. All pages of this report are integral parts of the analytical data. Therefore, this report should only be reproduced in its entirety of 1 4 pages.

02

| RECRA Sample Discrepancy Report (SDR) SDR#: 00 m5 402 |
|---|
| Initiator: Udm w. Smith Batch: ODILLI 94 (Rextact) Parameter: BMA Date: 12/26/20 Samples: MRI Matrix: 3061 D Client: TWO Howard Method: SWB46/MCAWWICLPI Prep Batch: CV261587 B99-038 H1128 |
| 1. Reason for SDR a. COC Discrepancy Tech Profile Error Client Request Sampler Error on C-O-C |
| Transcription Error Wrong Test Code Other b. General Discrepancy Missing Sample/Extract Container Broken Wrong Sample Pulled Label ID's Illegible Hold Time Exceeded Insufficient Sample Preservation Wrong Received Past Hold Improper Bottle Type Not Amenable to Analysis Note: Verified by [Log-In] or [Prep Group] (circle)signature/date: |
| c. OC Problem (Include all felevant specific results: attach data if necessary) |
| c. QC Problem (Include all relevant specific results; attach data if necessary) Bis (2-4thy hexy) phthatak Contamination in MBI. Samples contain "I" values |
| 2. Known or Probable Causes(s) (To be used for trend analysis) |
| Lack of Organization Other (Please explain): Lack of Training Lack of Discipline Lack of Resources Lack of Time |
| Lack of Management Support |
| 3. Discussion and Proposed Action Re-log Entire Batch Following Samples: Re-leach Re-extract Re-digest Revise EDD Change Test Code to Place On/Take Off Hold (circle) Other Description: M.A. made an data Ref. was a data |
| 4. Project Manager Instructionssignature/date: ### (PARTY PROPERTY PROPE |
| 5. Final Actionsignature/date: |
| When Final Action has been recorded, forward original to QA for distribution and filing. |
| Route/Distribution of SDR Initiator Lab Manager: M. Taylor Project Mgr: Stone/Carey/Johnson Section Mgr: Wesson/Daniels Admin: Soos Sample Prep: Bickel/Kauffman Route Distribution of Completed SDR Metals: Doughty Inorganic: Perrone GC/LC: Pastor MS: Layman/Pycklak Log-in: Keppel Admin: Soos Other: |

| RECRA Sample Discrepancy Report (SDR) SDR #: _மゃっちらゝ |
|--|
| Initiator: John W. Smith Batch: 01/1/94 Parameter: BNA 0025X Date: 1/31/10 Samples: M5/M5D + BS Matrix: Soil Client: Thu Hand 65508 Method: SW846MCAWW/CLP/ Prep Batch: 00 L4 14 57 H 1138 |
| 1. Reason for SDR a. COC Discrepancy Tech Profile Error Client Request Sampler Error on C-O-C |
| Transcription Error Wrong Test Code Other |
| Note: Verified by [Log-In] or [Prep Group] (circle)signature/date: c. QC Problem (Include all relevant specific results; attach data if necessary) 1) For Acicl spikes for low in majored. 2) PCP for los low in MBI. Phtholate exceeds calibration range in MS. Only a """ value in MSI. |
| 2. Known or Probable Causes(s) (To be used for trend analysis) |
| Lack of Organization Other (Please explain): Lack of Training |
| Lack of Discipline |
| Lack of Resources Lack of Time |
| Lack of Management Support |
| 3. Discussion and Proposed Action Re-log Entire Batch Following Samples: Re-leach Re-extract Re-digest Revise EDD Change Test Code to Place On/Take Off Hold (circle) Other Description: Other Description: Utility Activity Change Test Code to 1 |
| 4. Project Manager Instructionssignature/date: (1000 1000 1741/07) Concur with Proposed Action |
| Disagree with Proposed Action; See Instruction Include in Case Namative |
| Client Contacted: |
| Date/PersonAdd |
| 5. Final Actionsignature/date:Other Explanation: |
| 5. Final Actionsignature/date: |
| Route/Distribution of SDR Route Distribution of Completed SDR |
| Initiator Metals: Doughty Inorganic: Perrone |
| Project Mgr: Stone/Carey/Johnson GC/LC: Pastor Section Mgr: Wesson/Daniels MS: Layman/Rycklak |
| X QA (file): Schrenkel Log-in: Keppel |
| Data Management: Feldman Sample Prep: Bickel/Kauffman Admin: Soos Other: |
| 1/10/2- |

| Recra LabNet Philadelphia Sample Discrepancy Report (SDR) SDR #: WEXTL |
|--|
| Initiator: Bernadfuly Batch: OIIL194 Parameter: BUA Date: 12 Ulus Samples: 1,2 Matrix: 5 Client: TW Method: SW846/MCAWW/CLP/ Prep Batch: OUE/S87 |
| 1. Reason for SDR a. COC Discrepancy Tech Profile Error Client Request Sampler Error on C-O-C Transcription Error Wrong Test Code Other D. General Discrepancy Missing Sample/Extract Container Broken Wrong Sample Pulled Label ID's Illegible Hold Time Exceeded Insufficient Sample Preservation Wrong Received Past Hold Improper Bottle Type Not Amenable to Analysis Note: Verified by [Log-In] or [Prep Group] (circle)signature/date: C. Problem (Include all relevant specific results; attach data if necessary) Sirrogate Concentrations Suntain |
| 2. Known or Probable Causes(s) analyst error |
| 3. Discussion and Proposed Action Re-log Entire Batch Following Samples: Re-each Re-extract Re-digest Revise EDD Change Test Code to Place On/Take Off Hold (circle) Other Description: Other Descr |
| 4. Project Manager Instructionssignature/date: |
| 5. Final Actionsignature/date: |
| When Final Action has been recorded, forward original to QA Specialist for distribution and filing. |
| Route Distribution of Completed SDR X Initiator X Lab General Manager: M. Taylor X Project Mgr: Stone Johnson X Technical Mgr: Wesson/Daniels X QA (file): Popp Data Management: Feldman Sample Prep: Doughty/Kiger Route Distribution of Completed SDR Metals: Doughty Inorganic: Perrone SC/LC: Pastor MS: Rycklak/Layman Log-in: Keppel Admin: Soos Other: |

GLOSSARY OF BNA DATA

ABBREVIATIONS

| BS | = | Indicates blank spike in which reagent grade water is spiked with the CLP matrix spike solutions |
|----|---|--|
| | | and carried through all the steps in the method. Spike recoveries are reported. |

BSD = Indicates blank spike duplicate.

MS = Indicates matrix spike.

MSD = Indicates matrix spike duplicate.

DL = Suffix added to sample number to indicate that results are from a diluted analysis.

NA = Not Applicable.

DF = Dilution Factor.

NR = Not Required.

SP, Z = Indicates Spiked Compound.

mmz\10-94\gloss.bna



GLOSSARY OF BNA DATA

DATA QUALIFIERS

- U = Compound was analyzed for but not detected. The associated numerical value is the estimated sample quantitation limit which is included and corrected for dilution and percent moisture.
- J = Indicates an estimated value. This flag is used under the following circumstances: 1) when estimating a concentration for tentatively identified compounds (TICs) where a 1:1 response is assumed; or 2) when the mass spectral data indicate the presence of a compound that meets the identification criteria but the result is less than the specified detection limit but greater than zero. For example, if the limit of detection is 10 ug/L and a concentration of 3 ug/L is calculated, it is reported as 3J.
- B = This flag is used when the analyte is found in the associated blank as well as in the sample. It indicates possible/probable blank contamination. This flag is also used for a TIC as well as for a positively identified TCL compound.
- E = ...Indicates that the compound was detected beyond the calibration range and was subsequently analyzed at a dilution.
- D = Identifies all compounds identified in an analysis at a secondary dilution factor.
- I = Interference.
- NQ = Result qualitatively confirmed but not able to quantify.
- A = Indicates that a TIC is a suspected aldol-condensation product.
- N = Indicates presumptive evidence of a compound. This flag is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It is applied to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the N code is not used.
- X = This flag is used for a TIC compound which is quantified relative to a response factor generated from a daily calibration standard (rather than quantified relative to the closest internal standard).
- Y = Additional qualifiers used as required are explained in the case narrative.

mmz\10-94\gloss.bna



Q

Report Date: 01/08/01 14:10

Recra LabNet - Lionville Laboratory

Semivolatiles by GC/MS, Special List

Client: TNUHANFORD B99-028 H1128 Work Order: 10985**001**001 Page: la RFW Batch Number: 0011L194 B10NV7 Cust ID: B10NV6 B10NV6 B10NV6 B10NV6 B10NV7 002 Sample 001 001 MS 001 MSD 002 001 RFW#: SOLID SOLID SOLID SOLID Information Matrix: SOLID SOLID 1.00 1.00 1.00 D.F.: 1.00 1.00 1.00 ug/Kg ug/Kg uq/Kq ug/Kg ug/Kg ug/Kg Units: REPREP REPREP 101 왐 옿 왐 96 કૃ 83 と Nitrobenzene-d5 36 98 47 2-Fluorobiphenyl 34 왕 104 왕 90 ۶ ۶ 94 ક 73 왕 Surrogate 46 p-Terphenyl-d14 54 윻 87 옿 155 * % 119 왕 128 8 110 왐 Recovery 810 B 86 JB 1200 B 56 JB 7200 E 3900 B

| | Cust ID: | B10NV7 | 7 | B10NV | 7 | SBLKGH | | SBLKGH BS | | SBLKJP | | SBLKJP BS | 3 |
|----------------|------------------|--------|------|---------|------|--------------|------|--------------|------|--------------|------|--------------------|------|
| Sample | RFW#: | 002 MS | | 002 MSD | | 00LE1457-MB1 | | 00LE1457-MB1 | | 00LE1587-MB1 | | 00LE1587- | MB1 |
| Information | Matrix: | SOLID | | SOLID | | SOIL | | SOIL | | SOIL | | SOIL | ر |
| | D.F.: | 1.0 | 1.00 | | 1.00 | | 1.00 | | 00 | 1.00 | | 1.00 | |
| | Units: | ug/F | (g | ug/I | ζg | ug/I | ζg | ug/I | ζg | ug/I | ζg | ug/ | ′Kg |
| | | REPR | _ | REPE | REP | _ | | | | | | | |
| | Nitrobenzene-d5 | 63 | ક | 53 | ૪ | 104 | 8 | 84 | ક | 57 | ક્ષ | 43 | ક |
| Surrogate | 2-Fluorobiphenyl | 59 | 8 | 49 | 8 | 77 | 웅 | 64 | 옿 | 63 | 왐 | 43 | ક્ષ |
| Recovery | p-Terphenyl-d14 | 97 | ૪ | 69 | કૃ | 100 | 8 | 77 | 8 | 99 | ક્ષ | 66 | 왐 |
| ****** | | | fl | | ==fl | | ==f1 | ======== | ==f1 | ========== | ==f1 | . == ====== | ===f |
| bis(2-Ethylher | cyl)phthalate | 140 | JB | 320 | JB | 93 | J | 75 | JB | 820 | | 160 |) JI |

^{*=} Outside of EPA CLP QC limits.

bis(2-Ethylhexyl)phthalate

3D SOIL SEMIVOLATILE MATRIX SPIKE/MATRIX SPIKE DUPLICATE RECOVERY

Lab Name: Recra.LabNet

Contract: <u>0985-01-01</u>

Case No.: TNUHANFORD B99-028 H1128

RFW Lot No.: 0011L194-001

MATRIX Spike - Sample No.: <u>B10NV6</u>

| COMPOUND | SPIKE ADDED UG/KG | SAMPLE CONCENTRATION UG/KG | MS CONCENTRATION UG/KG | MS % REC # | QC LIMITS REC. |
|-------------------------|----------------------------|-------------------------------------|---------------------------------|------------------|----------------------|
| Phenol | 5610 | 287 | 6430 | 109 * | 26 - 90 |
| 2-Chlorophenol | 5610 | 0 | 5250 | 94 | 25 -102 |
| 1,4-Dichlorobenzene | 3740 | 0 | 2890 | 77 | 28 -104 |
| N-Nitroso-di-n-prop.(1) | 3740 | 0 | 4300 | 115 | 41 -126 |
| 1,2,4-Trichlorobenzene_ | 3740 | 0 | 3240 | 87 | 38 -107 |
| 4-Chloro-3-methylphenol | 5610 | 0 | 5480 | 98 | 26 -103 |
| Acenaphthene | 3740 | 0 | 4260 | 114 | 31 -137 |
| 4-Nitrophenol | 5610 | 0 | · 0 | 0 * | 11 -114 |
| 2,4-Dinitrotoluene | 3740 | 0 | 4030 | 108 * | 28 - 89 |
| Pentachlorophenol | 5610 | 0 | 0 | 0 * | 17 -109 |
| Pyrene | 3740 | 0 | 5240 | 140 | 35 -142 |

| 1 | SPIKE | MSD | MSD | 1 | | |
|-------------------------|----------|---------------|--------|--------|--|----|
| | ADDED | CONCENTRATION | ક | 8 | QC LIMITS | |
| COMPOUND | UG/KG | UG/KG [| REC # | RPD # | RPD REC | |
| | | ***** | ====== | ====== | ************************************** | == |
| Phenol | 5610 | 5720 | 97 * | 11 | 35 26 - 9 | 0 |
| 2-Chlorophenol | 5610 | 4280 | 76 | 21 | 50 25 -10 | 2 |
| 1,4-Dichlorobenzene | 3740 | 2350 | 63 | 20 | 27 28 -10 | 4 |
| N-Nitroso-di-n-prop.(1) | 3740 | 3760 | 100 | 14 | 38 41 -12 | 6 |
| 1,2,4-Trichlorobenzene_ | 3740 | 2820 | 75 | 14 | 23 38 -10 | 7 |
| 4-Chloro-3-methylphenol | 5610 | 4870 | 87 | 11 | 33 26 -10 | 3 |
| Acenaphthene | 3740 | 3320 | 89 | 24 * | 19 31 -13 | 7 |
| 4-Nitrophenol | 5610 | 0 | 0 * | 0 | 50 11 -11 | 4 |
| 2,4-Dinitrotoluene | 3740 | 3350 | 89 | 19 | 47 28 - 8 | 9 |
| Pentachlorophenol | 5610 | 0 | 0 * | 0 | 47 17 -10 | 19 |
| Pyrene | 3740 | 3610 | 97 | 36 | 36 35 -14 | 2 |
| | | | İ | | | |

(1) N-Nitroso-di-n-propylamine

Column to be used to flag recovery and RPD values with an asterisk

* Values outside of QC limits

| RPD: <u>1</u> Spike Rec | out of overy: | 11 outside | 22 outside | limits | , | | at 1/8/01 |
|----------------------------|---------------|------------|------------|----------|-----------|-----|-----------|
| COMMENTS: | | 1 out of | 12 base | Ineutral | compounds | ı | a) (1) |
| | | | FORM II | SV-2 | | RFW | (v3,2) |

3D
SOIL SEMIVOLATILE MATRIX SPIKE/MATRIX SPIKE DUPLICATE RECOVERY

Lab Name: Recra.LabNet Contract: 0985-01-01

Case No.: TNUHANFORD B99-028 H1128 RFW Lot No.: 0011L194-002

MATRIX Spike - Sample No.: B10NV7RE Level: (low/med) LOW

| | SPIKE | SAMPLE | MS | MS | QC |
|----------------------------|-------|-----------------|---------------|-------|---------|
| | ADDED | CONCENTRATION | CONCENTRATION | 왕 | LIMITS |
| COMPOUND | UG/KG | UG/KG | UG/KG | REC # | REC |
| 1,4-Dichlorobenzene | 3740 | .========= 0 | 1500 | 40 | 28 -104 |
| N-Nitroso-Di-n-propylamine | 3740 | 0 | 2400 | 64 | 41 -126 |
| 1,2,4-Trichlorobenzene | 3740 | 0 | 1780 | 48 | 38 -107 |
| Acenaphthene | 3740 | 0 | 2370 | 63 | 31 -137 |
| 2,4-Dinitrotoluene | 3740 | 0 | 2570 | 69 | 28 -89 |
| Pyrene | 3740 | 0 | 2840 İ | 76 | 35 -142 |

| | SPIKE | MSD | MSD | | | |
|----------------------------|----------|---------------|--------|-------|------|---------|
| ••• | ADDED | CONCENTRATION | 8 | 8 | QC : | LIMITS |
| COMPOUND | UG/KG | UG/KG | REC # | RPD # | RPD | REC |
| | ======= | | =====: | | | |
| 1,4-Dichlorobenzene | _ 10600 | 3410 | 32 | 22 | 27 | 28 -104 |
| N-Nitroso-Di-n-propylamine | _ 10600 | 6140 | 58 | 9 | 38 | 41 -126 |
| 1,2,4-Trichlorobenzene | _ 10600 | 3960 | 37 *: | 26 * | 23 | 38 -107 |
| Acenaphthene | _ 10600 | 5240 | 50 | 23 * | 19 | 31 -137 |
| 2,4-Dinitrotoluene | _ 10600 | 5590 | 53 | 26 | 47 | 28 -89 |
| Pyrene | 10600 | 5810 | 55 | 32 | 36 | 35 -142 |
| | Ì | j | | | İ | İ |

[#] Column to be used to flag recovery and RPD values with an asterisk

RPD: <u>2</u> out of <u>6</u> outside limits

Spike Recovery: 1 out of 12 outside limits

COMMENTS:

FORM III SV-2

5/88 Rev.

^{*} Values outside of QC limits

3D SOIL SEMIVOLATILE BLANK SPIKE RECOVERY

Lab Name: Recra.LabNet

Contract: <u>0985-01-01</u>

Case No.: TNUHANFORD B99-028 H1128 RFW Lot No.: 0011L194

BLANK Spike - Sample No.: SBLKGHLE1457-MB1 Level: (low/med) LOW

| COMPOUND | SPIKE ADDED UG/KG | SAMPLE CONCENTRATION UG/KG | BS CONCENTRATION UG/KG | BS % REC # | QC LIMITS REC |
|----------------------------|----------------------------|-------------------------------------|---|------------------|-------------------------|
| 1,4-Dichlorobenzene | 1670 | 1 . 0 | === === ============================== | 60 | 28 -104 |
| N-Nitroso-Di-n-propylamine | 1670 | i | 1450 | 87 | 41 -126 |
| 1,2,4-Trichlorobenzene | 1670 | j o | 982 | 59 | 38 -107 |
| Acenaphthene | 1670 | j o | 1050 | 63 | 31 -137 |
| 2,4-Dinitrotoluene | 1670 | 0 | 1400 | 84 | 28 -89 |
| Pyrene | 1670 | 0 | 1210 | 73 | 35 -142 |

[#] Column to be used to flag recovery value with an asterisk

Spike Recovery: <u>0</u> out of <u>6</u> outside limits

COMMENTS:

^{*} Values outside of QC limits

3D SOIL SEMIVOLATILE BLANK SPIKE RECOVERY

Lab Name: Recra, LabNet

Contract: <u>0985-01-01</u>

Case No.: TNUHANFORD B99-028 H1128 RFW Lot No.: 0011L194

BLANK Spike - Sample No.: <u>SBLKJPLE1587-MB1</u>

Level: (low/med) LOW

| COMPOUND | SPIKE ADDED UG/KG | SAMPLE CONCENTRATION UG/KG | BS CONCENTRATION UG/KG | BS % REC # | QC LIMITS REC |
|----------------------------|----------------------------|-------------------------------------|---|------------------|-------------------------|
| | | | ======================================= | " | , |
| 1,4-Dichlorobenzene | 1670 | 1 0 | 660 | 40 | 28 -104 |
| N-Nitroso-Di-n-propylamine | 1670 | j o | 795 | 48 | 41 -126 |
| .,2,4-Trichlorobenzene | 1670 | 0 | 683 | 41 | 38 -107 |
| Acenaphthene | 1670 | j | 777 | 47 | 31 -137 |
| 2,4-Dinitrotoluene | 1670 | 0 | 803 | 48 | 28 -89 |
| Pyrene | 1670 | 0 | 980 | 59 | 35 -142 |

[#] Column to be used to flag recovery value with an asterisk

Spike Recovery: $\underline{0}$ out of $\underline{6}$ outside limits

COMMENTS:

^{*} Values outside of QC limits

| PECRA Lab | | | Custo | ody 7 IELD PEI | | | | | | | | | Re | qu | es | t Pa | age . | 1 о | f. <u> </u> | | P | | RECF LabN | } e |
|---|----------------|----------------|----------------|-------------------|-------------|---------------|-----------------------|--|-------------------|-------------------|--|---------------|--------------|----------------|------------------|-------------|----------------|----------------------|------------------------------------|--|----------------|---------------------|--|--------|
| | | | | | | - | | , | | | A | \mathcal{B} | , | | | | <u>C</u> | | т — | D | | · - 1 | | |
| Client | hu- | Hanford | B99. | <u>.028</u> | | | | Refrige | rator # | | 1 | 5 | <u> </u> | | | | 5 | 14) | | 5 | | | | |
| Est. Final Pro | | | - ·· | | • | | | #/Type | Container | Liquid | _ | + | | | 4 | | • | 14 | ļ — | | + | | | _ |
| | | 25·001-0 | <u> 201-99</u> | 199 CC | <u> </u> | | | | | Solid | JIPG | IPG | | | | |)PG | 15 | | 186 | | | | _ |
| Project Conta | | - • | -: | | | | | Volume | , | Liquid | - | 35.0 | - | | | | 500 | 8 | | 300 | | | | _ |
| RECRA Proje | | | | 7 4 | _1_ | | | Preserv | vativae | Solid | CO | 520 | - | | | Uffice | ე ლ | 7 | | 550 | | | - - | _ |
| oc Spec | | Del Std | • | | | | | | | _L | | ORG | ANIC | | | | | INC | DRG _ | ļ.— | | | | _ |
| Date Rec'd | 11- | 8-00 <u> </u> | Date Due | 8-51_ | ·00 | | | ANALY REQUE | | - | δ V | BNA | Pest/ PCB | Herb | | | | Metal | S | | - | | | |
| MATRIX | | | | | | Ma | trix | | | | | | | 1 | | REC | CRA L | abNe | Use | Only | | Ţ | | _ |
| CODES: S - Soll SE - Sediment SO - Solid | Lab ID | CI | iont ID/Desc | ription | | Cho | C psen /) | Matrix | Date Collected | Time Collected | CLRAX | XS,29 | | | | | -דכרא | met(C) | | TCn03 | | | | |
| SL - Sludge | | | | | | MS | MSD | | | | 10 | 8 | | | | | H | <u> </u> | | r | | | | _ |
| 0 - Oil | | BIOLINA | <u>P</u> | | | | | <u>So</u> | 11400 | | - | | | | | | _ | | | | | | | |
| DS - Drum Solids | <u>cog</u> | <u> </u> | <u> </u> | | | <u> </u> | | - | 7 | 0915 | 1- | / | _ | <u> </u> | | | | - | | | | | | |
| DL - Drum Liquida | _ | BIODAR | tch | 4 | | | | | * | - | | ļ | | | | | | _ | | | | | | _ |
| L - EP/TCLP Leachate | ООН | 7 | | T oc | | | | 1 | - | <u> </u> | | | | | _ | | | / | <u> </u> | \longrightarrow | | | 41 | |
| WI - Wipe | | | | | | | | | ļ | <u> </u> | - | ļ | | | \dashv | | - | | <u> </u> | | | | | |
| X - Other F - Fish | | | | | | | _ | | | | | - | | _ | \rightarrow | | | | | | | | | |
| | | | | | | | | | ļ | - | ļ | | | | | | | | | | | | | _ |
| | | | | | | | | | ļ | ļ | | | | - | | | | | ļ | | | | | |
| | | | | | | ļ | | | ļ <u>.</u> | ļ | ļ | | | | | | | | | | | | | |
| | | <u></u> | | | | l | | <u> </u> | <u> </u> | | l | | | | | | | <u></u> | <u> </u> | | | | | |
| Special Instructi | ons: | esaf Bo | 19-02 | 3 | | | DATE/ | REVISION | 15. 1. Sec. | Joha | ha | ^^ | | | | | | | | RECF | RA LabN | et Use Or | nly | _ |
| Run | , Μ | tatrix | QC | | | | $\mathcal{U}^{c_{i}}$ | () | 2 A5.B | a,Cd.(| 27,7 | 3,0 | | ig St | \mathcal{B} ,c | -, n | ` | 1) Ha | ınd Deli | vered | | Package 2) Unbro | ent on Outer Y or N oken on Oute | |
| · | | | | | | | | | | · | | | | ·· · •· | | | | 2) 3) Co 4) | Ambier Receivendition Labels | nt or Chil ed in Go Y or Indicate | ied od N | 3) Prese | or N ont on Sample (Y) or N oken on (Y) or N | |
| Relinquished by | | Received by | Date | Time | Re | linquis by | hed | | Received by | D | ate | Tim | • | Discre | | | | | . (| Preserve Or or ed Within | N | COC Re | cord Present Imple Rec'l | |
| Factor | | Reppel_ | 11800 | 1015 | | COM | POS AST | | | | 3 IN | AL. | | COC F | lecord? 3: | ?Y o | (N) | Ho | lding T | | | Cooler Temp | U C | |

CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST Page 1 of 1 B99-028-56 **Bechtel Hanford Inc.** Company Contact Telephone No. Project Coordinator Collector Data Turnaround Price Code 9N T Pickett 373-4630 TRENT, SJ Fahlberg 45 Days Sampling Location SAF No. Project Designation Air Quality 100 HR-3 B99-028 100-HR-3 Pump & Treat - Resin Sampling lce Chest No. Field Logbook No. COA Method of Shipment R10HR3C570 EL 1517-1 Fed Ex Bill of Ladiag Air Bill No 53 - Ø369 Offsite Property No. Shipped To A 01 0 004 -TMA/RECRA POSSIBLE SAMPLE HAZARDS/REMARKS None None Cool 4C None HISTORICAL DATA INDICATES Preservation aG aG That Sumples are cooped aG ₽Ğ Type of Container No. of Container(s) Special Handling and/or Storage 60mL 120ml. 250mL 250mL 250mL 500mL Volume Tritium - H3 IC Anions -Semi-VOA ice item (1) is 8270A (TCL) Special 300.0 (Nitrate) Special (Bis(2-Instructions SAMPLE ANALYSIS Sample No. Matrix * Sample Date Sample Time traff m **B10NV6** OTHER SOLID 1850 × × **B10NV7** OTHER SOLID 0915 × Matrix * CHAIN OF POSSESSION SPECIAL INSTRUCTIONS • • Historical data indicates that samples are less than 2000 pCi total activity. Date/Time (3/5 Date/Time 13/5 S-Soll SE=Sediment .6.00 (1) VOA - 8260A (TCL) (Chloroform, Methylenechloride); VOA - 8260A (Add-On) SO=Selid Date/Time 6830 [Trichloromonofluoromethane] S =Sludge W = Water (2) Metals by ICP (TCLP) - 1311/6010 [Arsenic, Barium, Cadmium, Chromium, Lead. Selenium. 7 00 11/07/00 0-00 Silver); Metals by ICP (TCLP) Add-on - 1311/6010 (Antimony, Beryllium, Nickel) A#Air DS=Drugs Solids DL=Drum Liquid: T=Tissue Samples stored in Ref.# 213 at the 3728 Date/Time Relinguished By WI-Wipo Shipping Facility on 11/6/00. £=Liquid 1015 11800 1015 V=Vegetatio Collector not available to relinquish samples Date/Time X=Other on 11 / 7 /OD for shipment. Received By Date/Time Relinquished By Date/Time Title LABORATORY Received By Date/Time

Disposed By

Date/Time

BHI-EE-011 (10/99)

SECTION

FINAL SAMPLE

Disposal Method



Recra LabNet - Lionville Laboratory VOA ANALYTICAL DATA PACKAGE FOR TNUHANFORD B99-028 H1128

DATE RECEIVED: 11/08/00

RFW LOT # :0011L194

| CLIENT ID | RFW # | ŧ | MTX | PREP # | COLLECTION | EXTR/PREP | ANALYSIS |
|-------------|-------|----|-----|----------|------------|-----------|----------|
| B10NV6 | | | | | | | |
| · · · | 001 | | SO | | 11/06/00 | N/A | 11/11/00 |
| B10NV6 | 001 | R1 | SO | 00LVH487 | 11/06/00 | N/A | 11/13/00 |
| B10NV7 | 002 | | so | 00LVH486 | 11/06/00 | N/A | 11/11/00 |
| B10NV7 | 002 M | S | so | 00LVH486 | 11/06/00 | N/A | 11/11/00 |
| B10NV7 | 002 M | SD | so | 00LVH486 | 11/06/00 | N/A | 11/11/00 |
| LAB QC: | | | | | | | |
| | | | | | | | |
| VBLKBW | MB1 | | S | 00LVH486 | N/A | N/A | 11/11/00 |
| VBLKBW | MB1 B | S | S | 00LVH486 | N/A | N/A | 11/11/00 |
| VBLKBX | MB1 | | S | 00LVH487 | N/A | N/A | 11/13/00 |
| VBLKBX | MB1 B | S | S | 00LVH487 | N/A | N/A | 11/13/00 |



Chemical and Environmental Measurement Information

Recra LabNet Philadelphia Analytical Report

Client: TNU-HANFORD B99-028

RFW #: 0011L194

SDG/SAF #: H1128/B99-028

W.O. #: 10985-001-001-9999-00

Date Received: 11-08-2000

GC/MS VOLATILE

Two (2) solid samples were collected on 11-06-2000.

The samples and their associated QC samples were analyzed according to criteria set forth in Recra OPs based on SW 846 Method 8260A for client specified Volatile target compounds on 11-11,13-2000.

The following is a summary of the QC results accompanying these sample results and a description of any problems encountered during their analyses:

- 1. The cooler temperature upon receipt has been recorded on the chain-of-custody.
- 2. The samples were analyzed within required holding time.
- 3. Five (5) of twenty-seven (27) surrogate recoveries were outside EPA QC limits. The analysis of associated matrix spike fulfills the reanalysis requirement of sample B10NV7. Sample B10NV6 was reanalyzed on 11-13-2000 and reported.
- 4. One (1) of ten (10) matrix spike recoveries was outside EPA OC limits.

All blank spike recoveries were within EPA QC limits.

The target compounds are not included in the spiking solution. (CLP spike recoveries have been reported on the Form 3.)

- 5. The method blanks contained the common laboratory contaminant Methylene Chloride at levels less than 4x the CRQL.
- 6. Internal standard area criteria were not met for samples B10NV6 and B10NV7. The analysis of associated matrix spike fulfills the reanalysis requirement of sample B10NV7. Sample B10NV6 was reanalyzed on 11-13-2000 and reported.
- 7. "I certify that this sample data package is in compliance with SOW requirements, both technically and for completeness, other than the conditions detailed above. Release of the data contained in this hard-copy data package has been authorized by the Laboratory Manager or a designee, as verified by the following signature."

J. Michael Taylor

V.P./Laboratory General Manager

Lionville Laboratory

som\group\data\voa\tnu-hanford-11-194.doc

The results presented in this report relate only to the analytical testing and conditions of the samples at receipt and during storage. All pages of this report are integral parts of the analytical data. Therefore, this report should only be reproduced in its entirety of 10 pages.

Date

02

GLOSSARY OF VOA DATA

DATA QUALIFIERS

- U = Compound was analyzed for but not detected. The associated numerical value is the estimated sample quantitation limit which is included and corrected for dilution and percent moisture.
- Indicates an estimated value. This flag is used under the following circumstances: 1) when estimating a concentration for tentatively identified compounds (TICs) where a 1:1 response is assumed; or 2) when the mass spectral data indicate the presence of a compound that meets the identification criteria but the result is less than the specified detection limit but greater than zero. For example, if the limit of detection is 10 ug/L and a concentration of 3 ug/L is calculated, it is reported as 3J.
- B = This flag is used when the analyte is found in the associated blank as well as in the sample. It indicates possible/probable blank contamination. This flag is also used for a TIC as well as for a positively identified TCL compound.
- E = Indicates that the compound was detected beyond the calibration range and was subsequently analyzed at a dilution.
- D = Identifies all compounds identified in an analysis at a secondary dilution factor.
- l = interference.
- NQ = Result qualitatively confirmed but not able to quantify.
- N = Indicates presumptive evidence of a compound. This flag is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It is applied to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the N code is not used.
- X = This flag is used for a TIC compound which is quantified relative to a response factor generated from a daily calibration standard (rather than quantified relative to the closest internal standard).
- Y = Additional qualifiers used as required are explained in the case narrative.

mmz\10-94\gloss.voa



3

GLOSSARY OF VOA DATA

ABBREVIATIONS

| BS | = | Indicates blank spike in which reagent grade water is spiked with the CLP matrix spike solutions |
|----|---|--|
| | | and carried through all the steps in the method. Spike recoveries are reported. |

BSD = Indicates blank spike duplicate.

MS = Indicates matrix spike.

MSD = Indicates matrix spike duplicate.

DL = Suffix added to sample number to indicate that results are from a diluted analysis.

NA = Not Applicable.

DF = Dilution Factor.

NR = Not Required.

SP, Z = Indicates Spiked Compound.

mmz\10-94\gloss.voa



 ψ

Recra LabNet - Lionville Laboratory

Volatiles By GC/MS, Special List

RFW Batch Number: 0011L194 Client: TNUHANFORD B99-028 H1128 Work Order: 10985001001 Page: la

| | Cust ID: | B10NV6 | B10NV6 | B10NV7 | B10NV7 | B10NV7 | VBLKBW |
|--------------|-----------------------|--------------|--------------|--------------|------------|------------------|--------------|
| Sample | R FW#: | 001 | 001 | 002 | 002 MS | 002 MSD | 00LVH486-MB1 |
| Information | Matrix: | SOLID | SOLID | SOLID | SOLID | SOLID | SOIL |
| • | D.F.: | 0.980 | 1.02 | 1.02 | 1.04 | 1.00 | 1.00 |
| | Units: | UG/KG | UG/KG | UG/KG | UG/KG | UG/KG | UG/KG |
| | | | REPREP | | <u> </u> | | |
| | 1,2-Dichloroethane-d4 | 95 % | 98 % | 98 % | 99 % | 95 % | 89 % |
| Surrogate | Toluene-d8 | 150 * % | 143 * % | 145 * % | 144 * % | 141 * % | 94 % |
| Recovery | Bromofluorobenzene | 71 % | 71 % | 73 % | 68 % | 69 % | 89 % |
| - | | ======fl | =====f1 | =======f1== | :=====fl=: | ==== = f] | l=====f1 |
| Trichloroflu | uoromethane | 3 J | 2 Ј | 2 J | 2 J | 3 J | 5 U |
| Methylene Ch | | - 37 B | 43 B | 37 B | 44 B | 51 B | 16 |
| Chloroform_ | | 11 | 9 Ј | 11 | 10 | 11 | 5 U |
| | Cust ID: | VBLKBW BS | VBLKBX | VBLKBX BS | | | |
| Sample | RFW#: | 00LVH486-MB1 | 00LVH487-MB1 | 00LVH487-MB1 | | | |
| Information | Matrix: | SOIL | SOIL | SOIL | | | |
| | D.F.: | 1.00 | 1.00 | 1.00 | | | |

| | Units: | UG/I | | UG/F | | UG/K | | |
|--------------|-----------------------|--------|--------|---------|----------------|----------|-------|---------------------------|
| | 1,2-Dichloroethane-d4 | 96 | ક | 92 | - * | 90 | ४ | |
| Surrogate | Toluene-d8 | 100 | % | 104 | 8 | 100 | 8 | |
| Recovery | Bromofluorobenzene | 94 | 8 | 92 | % | 85 | 9 | |
| ±======== | | ====== | ==fl=: | ======= | =fl== | ======== | ==fl= | ======f1======f1=======f1 |
| Trichloroflu | oromethane | 5 | Ū | 5 | U | 5 | U | |
| Methylene Ch | nloride | 8 | В | 6 | | 4 | JB | |
| Chloroform | | 5 | Ŭ | 5 | Ü | 5 | U | |
| | 5 BD3 GFD 0G 1'-'- | | | | | | | |

^{*=} Outside of EPA CLP QC limits.



Report Date: 12/20/00 16:02

SOIL VOLATILE MATRIX SPIKE/MATRIX SPIKE DUPLICATE RECOVERY

Lab Name: Recra.LabNet.Philadelphia Contract: 10985-001-001-9999-00

Lab Code: RECRA Case No.: SAS No.:

SDG No.: 11L194

Matrix Spike - EPA Sample No.: B10NV7 Level:(low/med) LOW

| COMPOUND | SPIKE | SAMPLE | MS | MS | QC. |
|--------------------|---------|---------------|---------------|-------|--------|
| | ADDED | CONCENTRATION | CONCENTRATION | % | LIMITS |
| | (ug/Kg) | (ug/Kg) | (ug/Kg) | REC # | REC. |
| 1,1-Dichloroethene | 117.89 | 0.0000 | 123.05 | 104 | 59-172 |
| Trichloroethene | 117.89 | 0.0000 | 116.24 | 99 | 62-137 |
| Benzene | 117.89 | 0.0000 | 117.54 | 100 | 66-142 |
| Toluene | 117.89 | 0.0000 | 169.61 | 144* | 59-139 |
| Chlorobenzene | 117.89 | 0.0000 | 117.32 | 100 | 60-133 |

| | SPIKE ADDED | MSD CONCENTRATION | MSD % | ફ | | MITS |
|--------------------|----------------|----------------------|----------|-------|-------|--------|
| COMPOUND | (ug/Kg) | (ug/Kg) | REC # | RPD # | RPD | REC. |
| | ======= | ========= | ====== | ===== | ===== | ===== |
| 1,1-Dichloroethene | 113.17 | 120.92 | 107 | 3 | 22 | 59-172 |
| Trichloroethene | 113.17 | 111.27 | 98 | 1 | 24 | 62-137 |
| Benzene | 113.17 | 111.17 | 98 | 2 | 21 | 66-142 |
| Toluene | 113.17 | 154.77 | 137 | 5 | 21 | 59-139 |
| Chlorobenzene | 113.17 | 109.32 | 96 | 4 | 21 | 60-133 |
| | | | | | l | |

- # Column to be used to flag recovery and RPD values with an asterisk
- * Values outside of QC limits

RPD: 0 out of 5 outside limits

Spike Recovery: 1 out of 10 outside limits

3B SOIL VOLATILE BLANK SPIKE RECOVERY

Lab Name: Recra.LabNet.Philadelphia Contract: 10985-001-001-9999-00

Lab Code: RECRA Case No.: SAS No.:

SDG No.: 11L194

Matrix Spike - EPA Sample No.: VBLKBW Level:(low/med) LOW

| COMPOUND | SPIKE ADDED (ug/Kg) | BLANK CONCENTRATION (ug/Kg) | BS CONCENTRATION (ug/Kg) | BS % REC # | QC. LIMITS REC. |
|---|---------------------------|-----------------------------------|---|------------------|-----------------------|
| ***==================================== | ======= | ========== | ======================================= | ===== | ===== |
| 1,1-Dichloroethene | 50.000 | 0.0000 | 51.406 | 103 | 59-172 |
| Trichloroethene | 50.000 | 0.0000 | 47.126 | 94 | 62-137 |
| Benzene | 50.000 | 0.0000 | 46.302 | 93 | 66-142 |
| Toluene | 50.000 | 0.0000 | 50.047 | 100 | 59-139 |
| Chlorobenzene | 50.000 | 0.0000 | 50.462 | 101 | 60-133 |

Column to be used to flag recovery and RPD values with an asterisk

* Values outside of QC limits

RPD: 0 out of 0 outside limits

Spike Recovery: 0 out of 5 outside limits

| COMMENTS: | | | | | _ |
|-----------|------|------|--|------|---------------|
| | | | | | |
| | | | | | |

SOIL VOLATILE BLANK SPIKE RECOVERY

Lab Name: Recra.LabNet.Philadelphia Contract: 10985-001-001-9999-00

Lab Code: RECRA Case No.: SAS No.:

SDG No.: 11L194

Matrix Spike - EPA Sample No.: VBLKBX Level: (low/med) LOW

| COMPOUND | SPIKE ADDED (ug/Kg) | BLANK CONCENTRATION (ug/Kg) | BS CONCENTRATION (ug/Kg) | BS % REC # | QC. LIMITS REC. |
|--------------------|---------------------------|---|---|------------------|-----------------------|
| | ======= | ======================================= | ======================================= | ===== | ====== |
| 1,1-Dichloroethene | 50.000 | 0.0000 | 45.703 | 91 | 59-172 |
| Trichloroethene | 50.000 | 0.0000 | 43.664 | 87 | 62-137 |
| Benzene | 50.000 | 0.0000 | 46.671 | 93 | 66-142 |
| Toluene | 50.000 | 0.0000 | 48.484 | 97 | 59-139 |
| Chlorobenzene | 50.000 | 0.0000 | 48.407 | 97 | 60-133 |
| | | | | | \ |

- # Column to be used to flag recovery and RPD values with an asterisk
- * Values outside of QC limits

RPD: 0 out of 0 outside limits

Spike Recovery: 0 out of 5 outside limits

| OO IIL | | | Custo | ELD PER | | | | | | | | He | equ | ies | l Pa | ige . | <u> </u> | i <u>1</u> | _ | | | RE(| CR. Ne |
|---|---------------------|----------------|---------------------------------------|----------|------------|--------------------|---------------|-------------------|-------------------|--|--|--------------|----------|-------------|-------------|------------|----------------|------------------------------------|-------------------------------|----------|------------|--|--|
| | | | | | | | · | | | A_ | \mathcal{B}_{-} | | | | | C | | | D | | · | | |
| CilentT | ·ur | Harriorc | 1 B99. | 850_ | | | Refri | Refrigerator # | | 1 | 5 | | | | | 5 | (Y) | | 5 | | | _ | + |
| Est. Final Pro | j. Sam _i | pling Date | | _ | | | <i>иг</i> тур | | | | ļ · | | | | | | # | | | | | | ╁┈ |
| Project # | <u> </u> | 15.001-0 | 001-99 | 199-CC | | | _ | | Solid | JAG. | 1PG | | | | | lfG | ۲ | | 164 | | | | ╁ |
| Project Contact/Phone # | | | | | Volu | me | Liquid | | | | | | | 500 | 10 | <u> </u> | 2-1 | | | | + | | |
| RECRA Project Manager | | | | | | | Solid | <u> </u> | 550 | | | | 11200 | <u>35</u> € | <u> </u> | | 250 | | | | +- | | |
| oc Spec | | <u>ы Std</u> | TAT | 30 c | <u>lau</u> | | Pres | ervatives | | ╀╾ | ORG | ANIC | | . <u></u> | | | INC | RG | | + | | | ┿ |
| Date Rec'd | 11: | 8.00_ | Date Due | 12-8- | <u>00</u> | | | LYSES — UESTED | -► | VOA | BNA | Pest/ PCB | Herb | | i | | Metal | 3 | - | | | | |
| MATRIX | | | | | | Matrix | | | | | | <u> </u> | ţ | | REC | RA L | abNel | Use | Only | | ţ | | |
| CODES: S - Soil SE - Sediment SO - Soild | L a b ID | C | Client ID/Desci | ription | | QC Chose (⊬) | | Date Collected | Time Collected | CLASH | Szerz | : | | | | ITC:P | neto | | TCn03 | | | | |
| SL - Sludge W - Water | ∞ 1 | BIODY | O | | | | Sc | Warr | 0850 | | | | | | | _ | | | - | | | | T |
| A - Air | CCC | J. J. V. | 7 | | | | T | 1 | 0915 | | | | | | | _ | | | | | | | 1 |
| DS - Drum Solida | | BIONVU | a ton | 10020 | | | 1, | * | - | 1 | | | | | | | | | | | | | T |
| DiL - Drum Liquids | _ | IOIDLIVU | 7 11.17 | | | | 1 <u>1</u> | 1 | - | 1 | | | | | | | | | | | | • | ₹ |
| L - EP/TCLP Leachate | 224 | <u> </u> | <u> </u> | <u> </u> | - | | | | | 1 | | | | | | | | | | | | - | + |
| WI - Wipe X - Other | | ļ | ···· | | | | | | 1 | 1 | | | | | | | | | | | | | + |
| F - Fish | | | | | | | | | | | ┼ | | | | | | | | - | | | | |
| | | | | | | | | | | - | | | _ | | | | | | | | _ | - | |
| | | | · · · · · · · · · · · · · · · · · · · | | | | | | | ┼ | | | | | | | | | | | | | \vdash |
| | | | | | | | | | 1 | | | | | | | | | | | | | + | ┼ |
| | | | | | | | TE/REVISI | ONS: | 1 | <u> </u> | | | | | | | <u> </u> | | | | | | <u></u> |
| Special Instructi | ons: | sat pa | 44-02 | ブ | | - | * | . 1. Sec | · Iab | cha | \sim | | | | | | F | | - | RA Labi | let Use Ci | | |
| Run | , Μ | Jatnix | QC | | | | rct(()_ | 2.A5.B | ы'с 9 ' | | | | ું. ક | b,B | r, 1) | . | 1) Ha | nd Del | ivered | ••• | 1) Prese | ipe was: ent on Ot e Y or oken on t | uler N |
| | | | | | | | | _ 4 | | | | | | <u>-</u> | | | 3) Co 4) | Ambiel Receivendition Labels | red in Go Y or Indicate | ood N | 3) Preso | ent on Sa Y or oken on | ample r N |
| Relinquished by | | Received by | Date | Time | Rei | inquishe by | d | Received | | Date | Tin | ** | Sam | oles Lat | es Betwe | 1 _ | 5) | Receiv | Preserve (Y) or ed With | N | COC Re | ecord Pre ample Re (Y) or | sent ec t |
| Factor | - | Roor | 11800 | 1015 | (| OMP | OSITE | | וכר | C IV | h i | | NOT | Record | J?Y o | ' (N) | Ho | lding T | imes (Y) or | N | Cooler | N. | |
| | | 11 | | | | WA | | | REW | RIT | TEI | | | | 795 | 3 0 | 30 | | | - | Temp | - | С |

ソリノレ・リア **Bechtel Hanford Inc.** CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST B99-028-56 Page 1 of 1 Collector Company Contact Telephone No. Project Coordinator Data Turnaround Price Code 9N T Pickett Fahlberg 373-4630 TRENT, SI -45 Days^{_} roject Designation Sampling Location SAF No. Air Quality 100-HR-3 Pump & Treat - Resin Sampling 100 HR-3 R99-02R Ice Chest No. Field Logbook No. COA Method of Shipment EL 1517-1 R10HR3C570 Fed Ex Shipped To Offsite Property No. A OI O Ø Ø 4 953-0360 -TMA/RECRA POSSIBLE SAMPLE HAZARDS/REMARKS None None Cool 4C HISTORICAL DATA INDICATES Preservation That Samples are cooper aG aG aG. aCi G/P G Type of Container No. of Container(s) Special Handling and/or Storage 60mL 120mL 250mL 250mL 250mL 500mL Volume Isotopic Tritium - H3 Semi-VOA See item (1) in IC Anions -See item (2) in \$270A (TCL) Special 300.0 [Nitrate] Special (Bis(2-SAMPLE ANALYSIS astructions Instructions ethylhexyl) Sample No. Matrix * Sample Date Sample Time B10NV6 OTHER SOLID 1850 × B10NV7 **OTHER SOLID** 0915 X CHAIN OF POSSESSION Matrix * SPECIAL INSTRUCTIONS ** Historical data indicates that samples are less than 2000 pCi total activity. Date/Time 13/5 S-Soli SE-Sedimen . 6.00 (1) VOA - 8260A (TCL) [Chloroform, Methylenechloride]; VOA - 8260A (Add-On) SO-Solid Date/Time 6830 (Trichloromonofluoromethane) S -Sludge W = Water (2) Metals by ICP (TCLP) - 1311/6010 [Arsenic, Barium, Cadmium, Chromium, Lead. Selenium. 7100 0-04 Silver); Metals by ICP (TCLP) Add-on - 1311/6010 (Antimony, Beryllium, Nickel) A-Air DS-Drew Solids DL-Drem Liquid T=Tissue Samples stored in Ref.# 2B at the 3728 Received By Date/Time WI=Wine Shipping Facility on 11/6/00. 1015 118-00 1019 L-Liquid V=Venctation Collector not available to relinquish samples Date/Time X-Other on // / 7 / OD for shipment... Relinguished By Date/Time Received By Date/Time LABORATORY I Received By Title Date/Time

Disposed By

Date/Time

Disposal Method

SECTION FINAL SAMPLE